

## Table of Contents



### Ohio CEW Qualifying Foodservice Equipment

Equipment must meet program specification requirements. For programs listed with CEW (California Energy Wise) ratings refer to this chart.

[Combi Ovens](#)

[Convection Ovens](#)

[Dishwashers](#)

[Fryers](#)

[Steam Cookers](#)

**Updated 7-22-22**

# CEW Qualified Combination Ovens

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Size (Steam Pans)	Fuel Type	Convection Mode					Steam Mode			
				Preheat Energy (Btu or kWh)	Idle Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gph)	Idle Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gph)
Alto-Shaam	CTC7-20G	16	Gas	6,773	5517	60%	173	1.3	1,654	52%	161	0.9
Alto-Shaam	CTP20-20G	40	Gas	16,117	12193	63%	402	0.4	2,537	50%	325	9.1
Alto-Shaam	CTP7-20G	14	Gas	6,767	5950	59%	142	10.6	5,456	47%	250	12.2
Angelo Po	FX122G3**	24	Gas	9,304	7693	63%	216	1.8	8,696	55%	223	2.6
Angelo Po	FX202G3**	40	Gas	21,330	11087	63%	369	2.5	13,236	59%	501	5.8
Angelo Po	FX82G3**	16	Gas	7,387	6550	60%	145	2	7,334	54%	191	3.7
Blodgett	BCT-62G	12	Gas	6,253	4717	53%	114	0	6,615	42%	99	1.9
Blodgett	BLC*-102G	20	Gas	7,042	6717	60%	181	0	17,254	42%	148	19.1
Blodgett	BLC*-62G	10	Gas	6,621	4212	59%	114	0	13,431	50%	144	10.0
Convotherm	C4e* 10.20GB-N	20	Gas	7,296	6818	57%	188	0	10,320	48%	267	7.0
Convotherm	C4e* 10.20GS	22	Gas	7,559	7127	63%	227	0	7,066	58%	299	1.7
Convotherm	C4e* 20.20GB	40	Gas	13,996	10270	61%	391	3.3	11,927	48%	352	9.6
Convotherm	C4e* 6.20GB	14	Gas	5,187	5438	62%	132	0	7,439	51%	167	4.3
Convotherm	C4e* 6.20GS	14	Gas	4,977	5101	62%	141	0	5,003	58%	204	2.5
Electrolux	219680	6	Gas	2,830	3173	58%	66	0	6,819	50%	122	3.4
Electrolux	219681	12	Gas	4,668	4062	62%	121	0	3,552	53%	173	3.0
Electrolux	219683	20	Gas	7,929	4491	59%	195	0	7,390	53%	254	2.1
Electrolux	Air-O-Convect AOS062GCP1	12	Gas	4,356	7175	55%	132	0	11,752	48%	160	2.9
Electrolux	COG61C30	6	Gas	2,830	3173	58%	66	0	6,819	50%	122	3.4
Electrolux	ECOG102K300	20	Gas	7,929	4491	59%	195	0	7,390	53%	254	2.1
Electrolux	ECOG61K300	6	Gas	2,830	3173	58%	66	0	6,819	50%	122	3.4
Electrolux	ECOG62K300	12	Gas	4,668	4062	62%	121	0	3,552	53%	173	3.0
Eloma	Genius *T10-11	10	Gas	5,396	8000	60%	103	0	13,317	51%	189	4.2
Eloma	Genius *T6-11	6	Gas	3,763	5077	57%	66	0	9,515	48%	119	2.9
Giorik	SETG062W	12	Gas	5,499	4550	57%	123	0	4,000	45%	186	10.6
Giorik	SETG102W	20	Gas	10,670	6706	64%	168	-	5,324	45%	170	-
Henny Penny	FPG115	10	Gas	4,960	3755	61%	104	0	8,081	53%	168	9.2
Henny Penny	GCC615	6	Gas	3,655	4481	52%	60	0	7,455	44%	78	7.3
Henny Penny	GSC115	10	Gas	5,234	5531	57%	90	0	8,467	46%	140	6.1
Lainox	NAGB071	7	Gas	3,750	4650	56%	63	2.6	7,531	43%	107	4.7

# CEW Qualified Combination Ovens

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Size (Steam Pans)	Fuel Type	Convection Mode					Steam Mode			
				Preheat Energy (Btu or kWh)	Idle Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gph)	Idle Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gph)
Lainox	NAGB072	14	Gas	6,538	5932	56%	135	3.8	7,224	46%	211	6.2
Lainox	NAGB101	10	Gas	5,440	5387	58%	95	0	6,748	44%	158	8.3
Lainox	NAGB201	20	Gas	10,516	7784	60%	220	12.9	6,119	44%	297	12.3
Lainox	NAGB202	40	Gas	13,709	10921	61%	403	13.4	8,683	55%	526	12.3
Lainox	NAGV071	7	Gas	3,750	4650	57%	64	2.3	4,861	50%	93	1.0
Lainox	NAGV072	14	Gas	6,538	5932	56%	135	3.8	7,556	50%	156	3.5
Lainox	NAGV101	10	Gas	5,440	5387	59%	95	0	6,421	46%	107	6.0
Lainox	NAGV201	20	Gas	10,516	7784	60%	220	12.9	7,833	54%	285	8.3
Lainox	NAGV202	40	Gas	13,709	10921	61%	403	13.4	11,729	56%	421	3.1
RATIONAL	ICP 10-FULL NG (LM100EG) CE1GRRR.*****	20	Gas	6,729	5140	59%	215	16.8	6,653	54%	394	12.7
RATIONAL	ICP 10-HALF NG (LM100DG) CD1GRRR.*****	10	Gas	4,438	3833	62%	112	10.2	7,741	50%	195	13.7
RATIONAL	ICP 20-FULL NG (LM100GG) CG1GRRR.*****	40	Gas	14,615	8819	62%	414	0.1	7,813	58%	668	20.2
RATIONAL	ICP 20-HALF NG (LM100FG) CF1GRRR.*****	20	Gas	6,681	6130	63%	213	0	8,112	52%	407	12.0
RATIONAL	ICP 6-FULL NG (LM100CG) CC1GRRR.*****	12	Gas	4,823	4144	63%	131	1.9	5,347	48%	210	18.5
RATIONAL	ICP 6-HALF NG (LM100BG) CB1GRRR.*****	6	Gas	2,830	3061	62%	63	0	3,960	50%	119	2.2
UNOX	XAVC-06-FS-GP*	12	Gas	5,911	4918	60%	117	0	8,506	48%	181	4.7
UNOX	XAVC-10FS-GP*	20	Gas	7,975	4051	63%	189	0	4,765	49%	260	12.7

# CEW Qualified Convection Ovens

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Oven Size	Number of Cavities	Test Pan Capacity	Fuel Type	Rated Energy Input Rate (Btu or kWh)	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Fan/Control Energy (kW)
American Range	M-1	Full	1	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	M-1GL	Full	1	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	M-1GR	Full	1	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	M-2	Full	2	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	M-2GL	Full	2	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	M-2GR	Full	2	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	MSD-1	Full	1	5	Gas	70,000	10,536	11,714	46%	85	0.34
American Range	MSD-2	Full	2	5	Gas	70,000	10,536	11,714	46%	85	0.34
Atosa	ATCO-513B-1	Full	1	5	Gas	46,000	9,395	11,145	54%	82	0.46
Atosa	ATCO-513B-2	Full	2	5	Gas	46,000	9,395	11,145	54%	82	0.46
Bakers Pride	BCO-G1	Full	1	5	Gas	60,000	9,050	9,253	48%	86	0.36
Bakers Pride	BCO-G2	Full	2	5	Gas	60,000	9,050	9,253	48%	86	0.36
Bakers Pride	CO11-G1	Full	1	5	Gas	60,000	9,050	9,253	48%	86	0.36
Bakers Pride	CO11-G2	Full	2	5	Gas	60,000	9,050	9,253	48%	86	0.36
Bakers Pride	GDCO-G1	Full	1	5	Gas	60,000	9,050	9,253	48%	86	0.36
Bakers Pride	GDCO-G2	Full	2	5	Gas	60,000	9,050	9,253	48%	86	0.36
BKI	COB-GD	Full	2	5	Gas	60,000	9,050	9,253	48%	86	0.36
BKI	COB-GS	Full	1	5	Gas	60,000	9,050	9,253	48%	86	0.36
BKI	COM-GD	Full	2	5	Gas	60,000	9,050	9,253	48%	86	0.36
BKI	COM-GS	Full	1	5	Gas	60,000	9,050	9,253	48%	86	0.36
Blodgett	BDO-100G-ES	Full	1	5	Gas	45,000	8,582	7,179	53%	90	0.68
Blodgett	BDO-100G-ES DBL	Full	2	5	Gas	45,000	8,582	7,179	53%	90	0.68
Blodgett	DFG-100-ES	Full	1	5	Gas	45,000	8,582	7,179	53%	90	0.68
Blodgett	DFG-100-ES DBL	Full	2	5	Gas	45,000	8,582	7,179	53%	90	0.68
Blodgett	DFG-100-K12-ES	Full	1	5	Gas	45,000	8,582	7,179	53%	90	0.68
Blodgett	DFG-100-K12-ES DBL	Full	2	5	Gas	45,000	8,582	7,179	53%	90	0.68
Blodgett	DFG-200-ES	Full	1	5	Gas	45,000	10,019	7,344	51%	97	0.62

# CEW Qualified Convection Ovens

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Oven Size	Number of Cavities	Test Pan Capacity	Fuel Type	Rated Energy Input Rate (Btu or kWh)	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Fan/Control Energy (kW)
Blodgett	DFG-200-ES DBL	Full	2	5	Gas	45,000	10,019	7,344	51%	97	0.62
Blodgett	DFG-200-K12-ES	Full	1	5	Gas	45,000	10,019	7,344	51%	97	0.62
Blodgett	DFG-200-K12-ES DBL	Full	2	5	Gas	45,000	10,019	7,344	51%	97	0.62
Blodgett	DFG100	Full	1	5	Gas	55,000	10,800	11,200	46%	84	0.43
Blodgett	DFG100 DBL	Full	2	5	Gas	55,000	10,800	11,200	46%	84	0.43
Blodgett	HV100G	Full	1	5	Gas	60,000	8,134	9,082	46%	101	0.38
Blodgett	HV100G DBL	Full	2	5	Gas	60,000	8,134	9,082	46%	101	0.38
Blodgett	HV100G-ES	Full	1	5	Gas	60,000	8,134	9,082	46%	101	0.38
Blodgett	HV100G-ES DBL	Full	2	5	Gas	60,000	8,134	9,082	46%	101	0.38
Blodgett	HVH100G	Full	1	5	Gas	60,000	8,134	9,082	46%	101	0.38
Blodgett	HVH100G DBL	Full	2	5	Gas	60,000	8,134	9,082	46%	101	0.38
Blodgett	HVH100G-ES	Full	1	5	Gas	60,000	8,134	9,082	46%	101	0.38
Blodgett	HVH100G-ES DBL	Full	2	5	Gas	60,000	8,134	9,082	46%	101	0.38
Blodgett	ZEPH 100-G-ES	Full	1	5	Gas	45,000	8,582	7,179	53%	90	0.68
Blodgett	ZEPH 100-G-ES DBL	Full	2	5	Gas	45,000	8,582	7,179	53%	90	0.68
Blodgett	ZEPH 200-G-ES	Full	1	5	Gas	45,000	10,019	7,344	51%	97	0.62
Blodgett	ZEPH 200-G-ES DBL	Full	2	5	Gas	45,000	10,019	7,344	51%	97	0.62
Blue Seal	G32D5	Full	1	5	Gas	34,500	5,930	12,000	49%	61	0.13
Duke Manufacturing	613Q-G1V	Full	1	5	Gas	40,000	9,900	10,000	56%	93	0.47
Duke Manufacturing	613Q-G2V	Full	2	5	Gas	40,000	9,900	10,000	56%	93	0.47
Duke Manufacturing	E101-G	Full	1	5	Gas	40,000	9,000	11,000	54%	94	0.46
Duke Manufacturing	E101-GV	Full	1	5	Gas	40,000	9,000	11,000	54%	94	0.46
Duke Manufacturing	E102-G	Full	2	5	Gas	40,000	9,000	11,000	54%	94	0.46
Garland	MCO-GS-10 ESS	Full	1	5	Gas	60,000	13,400	12,000	48%	103	0.74
Garland	MCO-GS-20 ESS	Full	2	5	Gas	60,000	13,400	12,000	48%	103	0.74
Hobart	HGC501**	Full	1	5	Gas	44,000	9,800	11,850	48%	80	0.53
Hobart	HGC501D**	Full	1	5	Gas	44,000	9,800	11,850	48%	80	0.53

# CEW Qualified Convection Ovens

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Oven Size	Number of Cavities	Test Pan Capacity	Fuel Type	Rated Energy Input Rate (Btu or kWh)	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Fan/Control Energy (kW)
Hobart	HGC501DX**	Full	1	5	Gas	44,000	10,150	11,097	48%	90	0.54
Hobart	HGC501X**	Full	1	5	Gas	44,000	10,150	11,097	48%	90	0.54
Hobart	HGC502**	Full	2	5	Gas	44,000	9,800	11,850	48%	80	0.53
Hobart	HGC502D**	Full	2	5	Gas	44,000	9,800	11,850	48%	80	0.53
Hobart	HGC502DX**	Full	2	5	Gas	44,000	10,150	11,097	48%	90	0.54
Hobart	HGC502X**	Full	2	5	Gas	44,000	10,150	11,097	48%	90	0.54
Imperial	ICVG-1	Full	1	5	Gas	70,000	12,804	9,716	47%	103	0.3
Imperial	ICVG-2	Full	2	5	Gas	70,000	12,804	9,716	47%	103	0.3
Imperial	PCVG-1	Full	1	5	Gas	70,000	12,804	9,716	47%	103	0.3
Imperial	PCVG-2	Full	2	5	Gas	70,000	12,804	9,716	47%	103	0.3
Kintera	KCO-1	Full	1	5	Gas	54,000	8,216	11,926	49%	92	0.85
Lang	GCSF-**1	Full	1	5	Gas	60,000	12,085	9,293	46%	99	0.4
Lang	GCSF-**2	Full	2	5	Gas	60,000	12,085	9,293	46%	99	0.4
Moffat	G32D5	Full	1	5	Gas	34,500	5,930	12,000	49%	61	0.13
Moffat	G32D5/2	Full	2	5	Gas	34,500	5,930	12,000	49%	61	0.13
Montague	HX-63A*	Full	1	5	Gas	63,000	13,244	9,864	49%	97	0.63
Montague	HX2-63A*	Full	2	5	Gas	63,000	13,244	9,864	49%	97	0.63
Revent	ONE39G	Full	1	8	Gas	85,000	12,461	3,516	69%	127	0.61
Royal	RCOS-1	Full	1	5	Gas	70,000	12,465	8,866	55%	95	0.47
Royal	RCOS-2	Full	2	5	Gas	70,000	12,465	8,866	55%	95	0.47
Southbend	BGS/13CCH	Full	1	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	BGS/13SC	Full	1	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	BGS/17CCH	Full	1	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	BGS/17SC	Full	1	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	BGS/23CCH	Full	2	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	BGS/23SC	Full	2	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	BGS/27CCH	Full	2	5	Gas	53,000	10,317	8,930	51%	87	0.42

# CEW Qualified Convection Ovens

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Oven Size	Number of Cavities	Test Pan Capacity	Fuel Type	Rated Energy Input Rate (Btu or kWh)	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Fan/Control Energy (kW)
Southbend	BGS/27SC	Full	2	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	GS/13CCH	Full	1	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	GS/13SC	Full	1	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	GS/15CCH	Full	1	5	Gas	90,000	8,858	8,983	49%	94	0.42
Southbend	GS/15SC	Full	1	5	Gas	90,000	8,858	8,983	49%	94	0.42
Southbend	GS/17CCH	Full	1	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	GS/17SC	Full	1	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	GS/23CCH	Full	2	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	GS/23SC	Full	2	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	GS/25CCH	Full	2	5	Gas	90,000	8,858	8,983	49%	94	0.42
Southbend	GS/25SC	Full	2	5	Gas	90,000	8,858	8,983	49%	94	0.42
Southbend	GS/27CCH	Full	2	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	GS/27SC	Full	2	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	KLGS/13CCH	Full	1	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	KLGS/13SC	Full	1	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	KLGS/17CCH	Full	1	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	KLGS/17SC	Full	1	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	KLGS/23CCH	Full	2	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	KLGS/23SC	Full	2	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	KLGS/27CCH	Full	2	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	KLGS/27SC	Full	2	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	PCR-1G	Full	1	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	PCR-2G	Full	2	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	SLGS/12CCH	Full	1	5	Gas	72,000	8,744	9,432	48%	96	0.43
Southbend	SLGS/12SC	Full	1	5	Gas	72,000	8,744	9,432	48%	96	0.43
Southbend	SLGS/13CCH	Full	1	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	SLGS/13SC	Full	1	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	SLGS/17CCH	Full	1	5	Gas	53,000	10,317	8,930	51%	87	0.42

# CEW Qualified Convection Ovens

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Oven Size	Number of Cavities	Test Pan Capacity	Fuel Type	Rated Energy Input Rate (Btu or kWh)	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Fan/Control Energy (kW)
Southbend	SLGS/17SC	Full	1	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	SLGS/22CCH	Full	2	5	Gas	72,000	8,744	9,432	48%	96	0.43
Southbend	SLGS/22SC	Full	2	5	Gas	72,000	8,744	9,432	48%	96	0.43
Southbend	SLGS/23CCH	Full	2	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	SLGS/23SC	Full	2	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	SLGS/27CCH	Full	2	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	SLGS/27SC	Full	2	5	Gas	53,000	10,317	8,930	51%	87	0.42
Superior	GDCO-G1	Full	1	5	Gas	60,000	9,050	9,253	48%	86	0.36
Superior	GDCO-G2	Full	2	5	Gas	60,000	9,050	9,253	48%	86	0.36
Tri-Star	TSCO-G1	Full	1	5	Gas	60,000	9,050	9,253	48%	86	0.36
Tri-Star	TSCO-G2	Full	2	5	Gas	60,000	9,050	9,253	48%	86	0.36
Vulcan	SG4*	Full	1	5	Gas	60,000	11,270	11,360	50%	89	0.53
Vulcan	SG44*	Full	2	5	Gas	60,000	11,270	11,360	50%	89	0.53
Vulcan	VC44G*	Full	2	5	Gas	44,000	9,800	11,850	48%	80	0.53
Vulcan	VC4G*	Full	1	5	Gas	44,000	9,800	11,850	48%	80	0.53
Vulcan	VC55G*	Full	2	5	Gas	50,000	7,939	9,473	50%	79	0.46
Vulcan	VC5G*	Full	1	5	Gas	50,000	7,939	9,473	50%	79	0.46
Vulcan	VC66G*	Full	2	5	Gas	44,000	10,150	11,097	48%	90	0.54
Vulcan	VC6G*	Full	1	5	Gas	44,000	10,150	11,097	48%	90	0.54
Wolf	WKGD1	Full	1	5	Gas	44,000	9,800	11,850	48%	80	0.53
Wolf	WKGD2	Full	2	5	Gas	44,000	9,800	11,850	48%	80	0.53



# CEW Qualified Dishwashers

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Type	Sanitization Method	Idle Energy Rate (kW)	Washing Energy (kWh/rack)	Water Consumption (gal/rack)
ADS	SAGES	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0	0.02	0.9
ADS	AF-ES	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0	0.02	0.95
ADS	AFC-ES	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0	0.02	0.95
ADS	AWS	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0	0.02	0.98
Auto-Chlor	D2	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0	0.01	0.97
Auto-Chlor	D2CL	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0	0.01	0.97
Auto-Chlor	D2CLV	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0	0.01	0.97
Auto-Chlor	D2CR	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0	0.01	0.97
Auto-Chlor	D2CRV	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0	0.01	0.97
Auto-Chlor	D2V	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0	0.01	0.97
Champion	DH6000 STD	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.4	0.22	0.76
Champion	DH6000T STD	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.4	0.22	0.76
CMA Dishmachines	B-2	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0	0.02	0.98
CMA Dishmachines	CB-2	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0	0.02	0.98
Ecolab	Apex-HT	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.25	0.71
Ecolab	E-HT	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.32	0.24	0.48
Ecolab	E-HT-V	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.41	0.22	0.48
Ecolab	XL-HT	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.25	0.71
Hobart	AM16-ASR-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16-BAS-10	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16-BAS-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16-BAS-4	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16-BAS-8	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16-BASX-10	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16-BASX-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16-BASX-4	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16-BASX-8	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16-SVLT-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.2	0.67
Hobart	AM16SCB	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0.17	0.12	0.67

# CEW Qualified Dishwashers

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Type	Sanitization Method	Idle Energy Rate (kW)	Washing Energy (kWh/rack)	Water Consumption (gal/rack)
Hobart	AM16SCBX	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0.17	0.12	0.67
Hobart	AM16SCBX-16	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0.17	0.12	0.67
Hobart	AM16T-ASR-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16T-BAS-10	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16T-BAS-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16T-BAS-4	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16T-BAS-8	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16T-BASX-10	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16T-BASX-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16T-BASX-4	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16T-BASX-8	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.32	0.67
Hobart	AM16VL-ADV-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.2	0.67
Hobart	AM16VL-BAS-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.2	0.67
Hobart	AM16VL-BAS-4	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.2	0.67
Hobart	AM16VL-BASX-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.2	0.67
Hobart	AM16VL-BASX-4	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.2	0.67
Hobart	AM16VLSCB	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0.17	0.12	0.67
Hobart	AM16VLSCBX	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0.17	0.12	0.67
Hobart	AM16VLT-ADV-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.2	0.67
Hobart	AM16VLT-BAS-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.2	0.67
Hobart	AM16VLT-BAS-4	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.2	0.67
Hobart	AM16VLT-BASX-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.2	0.67
Hobart	AM16VLT-BASX-4	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.31	0.2	0.67
Hobart	CDH	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.42	0.28	0.73
Hobart	CDL	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0.24	0.14	0.85
Jackson	Dynastar	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.34	0.3	0.7
Jackson	Dynastar HH-E	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.32	0.33	0.72
Jackson	Dynastar HH-E-VER	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.36	0.2	0.72
Jackson	Dynastar HH/NB-E	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.32	0.33	0.72

## CEW Qualified Dishwashers

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Type	Sanitation Method	Idle Energy Rate (kW)	Washing Energy (kWh/rack)	Water Consumption (gal/rack)
Jackson	Dynastar NB	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.34	0.3	0.7
Jackson	Dynastar VER	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.35	0.2	0.7
Jackson	Tempstar HH-E	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.49	0.32	0.72
Jackson	Tempstar HH/NB-E	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.49	0.32	0.72
Jackson	WareForce HT180-HH/NB-E	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.49	0.32	0.72
Jackson	WareForce HT180HH-E	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.49	0.32	0.72
Noble	WareForce HT180HH-E	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.49	0.32	0.72
Noble	WareForce HT180HH/NB-E	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.49	0.32	0.72
Stero	SD3	Single Tank Door-Type	Chemical Sanitizing (Low Temp) Machine	0.26	0.12	0.85

# CEW Qualified Fryers

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
American Range	AF35HE	1	14	35	Gas	9,329	7,899	52%	63
American Range	AF50HE	1	14	50	Gas	11,903	7,966	50%	58
Anets	AH55	1	14	50	Gas	13,456	4,632	51%	67
BKI	BLG-FC	1	18	70	Gas	12,529	5,100	61%	56
BKI	BLG-TC	1	18	70	Gas	12,529	5,100	61%	56
Frymaster	2FQG120T	2	20	120	Gas	14,579	11,797	56%	79
Frymaster	2FQG30U***	2	13	30	Gas	9,592	3,962	56%	56
Frymaster	3FQG120T	3	20	120	Gas	14,579	11,797	56%	79
Frymaster	3FQG30U***	3	13	30	Gas	9,592	3,962	56%	56
Frymaster	4FQG30U***	4	13	30	Gas	9,592	3,962	56%	56
Frymaster	BIGLA230***	2	13	30	Gas	9,592	3,962	56%	56
Frymaster	BIGLA330***	3	13	30	Gas	9,592	3,962	56%	56
Frymaster	BIGLA430***	4	13	30	Gas	9,592	3,962	56%	56
Frymaster	BIGLA530***	5	13	30	Gas	9,592	3,962	56%	56
Frymaster	BIH55	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	BK55**	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	BKFP255**	2	14	50	Gas	13,951	5,604	55%	69
Frymaster	BKFP355**	3	14	50	Gas	13,951	5,604	55%	69
Frymaster	BKFP455**	4	14	50	Gas	13,951	5,604	55%	69
Frymaster	BKFP55**	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	CFHD150G	1	14	50	Gas	11,117	8,386	52%	72
Frymaster	ESG35T	1	14	35	Gas	9,582	8,233	50%	58
Frymaster	F*GL230**	2	13	31	Gas	9,265	3,832	60%	66
Frymaster	F*GL30**	1	13	31	Gas	9,265	3,832	60%	66
Frymaster	F*GL330**	3	13	31	Gas	9,265	3,832	60%	66
Frymaster	F*GL430**	4	13	31	Gas	9,265	3,832	60%	66
Frymaster	F*GL530**	5	13	31	Gas	9,265	3,832	60%	66

# CEW Qualified Fryers

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Frymaster	FPH155	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	FPH50	1	14	50	Gas	15,300	6,400	50%	57
Frymaster	FPPH155	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	FPPH255	2	14	50	Gas	13,951	5,604	55%	69
Frymaster	FPPH355	3	14	50	Gas	13,951	5,604	55%	69
Frymaster	FPPH455	4	14	50	Gas	13,951	5,604	55%	69
Frymaster	FPPH555	5	14	50	Gas	13,951	5,604	55%	69
Frymaster	H55	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	HD50G	1	14	50	Gas	11,117	8,386	52%	72
Frymaster	HD60G	1	18	80	Gas	16,362	10,242	52%	107
Frymaster	KH55	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	MJH50	1	14	50	Gas	15,300	6,400	50%	57
Frymaster	MPH55	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	PH155	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	PH255	2	14	50	Gas	13,951	5,604	55%	69
Frymaster	PH355	3	14	50	Gas	13,951	5,604	55%	69
Frymaster	PH455	4	14	50	Gas	13,951	5,604	55%	69
Frymaster	PH555	5	14	50	Gas	13,951	5,604	55%	69
Frymaster	PMJH50	1	14	50	Gas	15,300	6,400	50%	57
Frymaster	SCFHD250G	2	14	50	Gas	11,117	8,386	52%	72
Frymaster	SCFHD350G	3	14	50	Gas	11,117	8,386	52%	72
Frymaster	SCFHD450G	4	14	50	Gas	11,117	8,386	52%	72
Frymaster	SCFHD550G	5	14	50	Gas	11,117	8,386	52%	72
Frymaster	SCFHG650G	6	14	50	Gas	11,117	8,386	52%	72
Frymaster	YSCFH14G	1	14	50	Gas	11,117	8,386	52%	72
Frymaster	YSCFH214G	2	14	50	Gas	11,117	8,386	52%	72
Giles Enterprises, Inc.	GGF-400	1	13	45	Gas	7,998	3,835	54%	39

# CEW Qualified Fryers

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Giles Enterprises, Inc.	GGF-720	1	18.5	75	Gas	11,519	5,645	61%	80
Henny Penny	EEG-241	1	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-242	2	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-243	3	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-244	4	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-251	1	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-252	2	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-253	3	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-254	4	12	30	Gas	8,935	5,790	54%	64
Henny Penny	LVG-201	1	12	30	Gas	8,935	5,790	54%	64
Henny Penny	LVG-202	2	12	30	Gas	8,935	5,790	54%	64
Henny Penny	LVG-203	3	12	30	Gas	8,935	5,790	54%	64
Henny Penny	LVG-204	4	12	30	Gas	8,935	5,790	54%	64
Henny Penny	OFG-321	1	13	62	Gas	13,755	7,040	50%	72
Henny Penny	OFG-322	2	13	62	Gas	13,755	7,040	50%	72
Henny Penny	OFG-323	3	13	62	Gas	13,755	7,040	50%	72
Henny Penny	OGA-321	1	13	62	Gas	13,755	7,040	50%	72
Henny Penny	OGA-322	2	13	62	Gas	13,755	7,040	50%	72
Henny Penny	OGA-323	3	13	62	Gas	13,755	7,040	50%	72
Keating	14 IFM	1	14	38	Gas	7,999	3,971	54%	58
Keating	18 IFM	1	18	68	Gas	19,908	7,139	51%	79
PBI	2600530	1	18	80	Gas	16,362	10,242	52%	107
PBI	2600580	2	18	80	Gas	16,362	10,242	52%	107
Pearl City	P-30	1	30	75	Gas	17,596	8,352	71%	156
Pitco	BKSGH50SPC	1	14	50	Gas	10,275	8,510	54%	67
Pitco	MGII	1	14	50	Gas	10,275	8,510	54%	67
Pitco	SGC	1	14	35	Gas	9,636	4,899	50%	55

# CEW Qualified Fryers

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Pitco	SGH50	1	14	50	Gas	10,275	8,510	54%	67
Pitco	SGH50-2**	2	14	50	Gas	10,275	8,510	54%	67
Pitco	SGH50-3**	3	14	50	Gas	10,275	8,510	54%	67
Pitco	SGH50-4**	4	14	50	Gas	10,275	8,510	54%	67
Pitco	SGH50-5**	5	14	50	Gas	10,275	8,510	54%	67
Pitco	SGH50-6**	6	14	50	Gas	10,275	8,510	54%	67
Pitco	SSH55-**	1	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55-2**	2	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55-3**	3	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55-4**	4	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55-5**	5	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55-6**	6	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55D-**	1	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55D-2**	2	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55D-3**	3	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55D-4**	4	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55D-5**	5	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55D-6**	6	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH60-**	1	14	60	Gas	-	8,705	58%	76
Pitco	SSH60-2**	2	14	60	Gas	-	8,705	58%	76
Pitco	SSH60-3**	3	14	60	Gas	-	8,705	58%	76
Pitco	SSH60-4**	4	14	60	Gas	-	8,705	58%	76
Pitco	SSH60-5**	5	14	60	Gas	-	8,705	58%	76
Pitco	SSH60-6**	6	14	60	Gas	-	8,705	58%	76
Pitco	SSH60D-**	1	14	60	Gas	-	8,705	58%	76
Pitco	SSH60D-2**	2	14	60	Gas	-	8,705	58%	76
Pitco	SSH60D-3**	3	14	60	Gas	-	8,705	58%	76

# CEW Qualified Fryers

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Pitco	SSH60D-4**	4	14	60	Gas	-	8,705	58%	76
Pitco	SSH60D-5**	5	14	60	Gas	-	8,705	58%	76
Pitco	SSH60D-6**	6	14	60	Gas	-	8,705	58%	76
Pitco	SSH60R-**	1	14	60	Gas	-	8,446	52%	74
Pitco	SSH60R-2**	2	14	60	Gas	-	8,446	52%	74
Pitco	SSH60R-3**	3	14	60	Gas	-	8,446	52%	74
Pitco	SSH60R-4**	4	14	60	Gas	-	8,446	52%	74
Pitco	SSH60R-5**	5	14	60	Gas	-	8,446	52%	74
Pitco	SSH60R-6**	6	14	60	Gas	-	8,446	52%	74
Pitco	SSH60W-**	1	18	60	Gas	15,781	10,644	55%	76
Pitco	SSH60W-2**	2	18	60	Gas	15,781	10,644	55%	76
Pitco	SSH60W-3**	3	18	60	Gas	15,781	10,644	55%	76
Pitco	SSH60W-4**	4	18	60	Gas	15,781	10,644	55%	76
Pitco	SSH60W-5**	5	18	60	Gas	15,781	10,644	55%	76
Pitco	SSH60W-6**	6	18	60	Gas	15,781	10,644	55%	76
Pitco	SSH75-**	1	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75-2**	2	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75-3**	3	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75-4**	4	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75-5**	5	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75-6**	6	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75D-**	1	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75D-2**	2	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75D-3**	3	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75D-4**	4	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75D-5**	5	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75D-6**	6	18	75	Gas	14,884	11,226	61%	99



# CEW Qualified Fryers

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Pitco	SSH75R-**	1	18	75	Gas	16,935	11,819	56%	107
Pitco	SSH75R-2**	2	18	75	Gas	16,935	11,819	56%	107
Pitco	SSH75R-3**	3	18	75	Gas	16,935	11,819	56%	107
Pitco	SSH75R-4**	4	18	75	Gas	16,935	11,819	56%	107
Pitco	SSH75R-5**	5	18	75	Gas	16,935	11,819	56%	107
Pitco	SSH75R-6**	6	18	75	Gas	16,935	11,819	56%	107
Pitco	SSHLV14	1	13	32	Gas	8,141	7,409	53%	66
Pitco	SSHLV14-2**	2	13	32	Gas	8,141	7,409	53%	66
Pitco	SSHLV14-3**	3	13	32	Gas	8,141	7,409	53%	66
Pitco	SSHLV14-4**	4	13	32	Gas	8,141	7,409	53%	66
Pitco	VF35S	1	14	35	Gas	9,456	7,349	50%	59
Pitco	VF65S	1	18	65	Gas	15,636	9,953	54%	80
Royal Range	REEF-35	1	14	35	Gas	10,592	8,764	54%	60
Royal Range	RHEF-45**	1	14	45	Gas	7,095	4,569	63%	71
Royal Range	RHEF-60**	1	15	60	Gas	12,758	4,963	65%	95
Royal Range	RHEF-75**	1	18	75	Gas	12,941	5,017	72%	129
Sapidus	UG1100	1	14	60	Gas	9,195	4,583	61%	45
Sapidus	UG1100-3	1	21	70	Gas	14,405	6,534	62%	45
Ultrafryer Systems	B-IR-18-2-***	2	18	80	Gas	14,306	5,177	59%	88
Ultrafryer Systems	B-IR-18-3-***	3	18	80	Gas	14,306	5,177	59%	88
Ultrafryer Systems	B-IR-18-4-***	4	18	80	Gas	14,306	5,177	59%	88
Ultrafryer Systems	B-IR-18-5-***	5	18	80	Gas	14,306	5,177	59%	88
Ultrafryer Systems	B-IR-20-2-***	2	20	125	Gas	19,092	6,626	57%	84
Ultrafryer Systems	B-IR-20-3-***	3	20	125	Gas	19,092	6,626	57%	84
Ultrafryer Systems	B-IR-20-4-***	4	20	125	Gas	19,092	6,626	57%	84
Ultrafryer Systems	B-IR-20-5-***	5	20	125	Gas	19,092	6,626	57%	84
Ultrafryer Systems	B-IR-20-6-***	6	20	125	Gas	19,092	6,626	57%	84

# CEW Qualified Fryers

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Ultrafryer Systems	B-IRC-14-2-***	2	14	45	Gas	9,158	4,136	56%	72
Ultrafryer Systems	B-IRC-14-3-***	3	14	45	Gas	9,158	4,136	56%	72
Ultrafryer Systems	B-IRC-14-4-***	4	14	45	Gas	9,158	4,136	56%	72
Ultrafryer Systems	B-IRC-14-5-***	5	14	45	Gas	9,158	4,136	56%	72
Ultrafryer Systems	B-IRD-14-2-***	2	14	50	Gas	11,937	4,201	59%	73
Ultrafryer Systems	B-IRD-14-3-***	3	14	50	Gas	11,937	4,201	59%	73
Ultrafryer Systems	B-IRD-14-4-***	4	14	50	Gas	11,937	4,201	59%	73
Ultrafryer Systems	B-IRD-14-5-***	5	14	50	Gas	11,937	4,201	59%	73
Ultrafryer Systems	B-P20-18-2-***	2	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	B-P20-18-3-***	3	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	B-P20-18-4-***	4	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	B-P20-18-5-***	5	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	B-P20-18-6-***	6	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	B-P20-20-2-***	2	20	125	Gas	21,939	7,038	62%	79
Ultrafryer Systems	B-P20-20-3-***	3	20	125	Gas	21,939	7,038	62%	79
Ultrafryer Systems	B-P20-20-4-***	4	20	125	Gas	21,939	7,038	62%	79
Ultrafryer Systems	B-P20-20-5-***	5	20	125	Gas	21,939	7,038	62%	79
Ultrafryer Systems	B-P20-20-6-***	6	20	125	Gas	21,939	7,038	62%	79
Ultrafryer Systems	B-P30-14-2-***	2	14	50	Gas	7,450	4,180	65%	73
Ultrafryer Systems	B-P30-14-3-***	3	14	50	Gas	7,450	4,180	65%	73
Ultrafryer Systems	B-P30-14-4-***	4	14	50	Gas	7,450	4,180	65%	73
Ultrafryer Systems	B-P30-14-5-***	5	14	50	Gas	7,450	4,180	65%	73
Ultrafryer Systems	B-P30-14-6-***	6	14	50	Gas	7,450	4,180	65%	73
Ultrafryer Systems	B-P30-18-2-***	2	18	100	Gas	20,859	5,993	61%	120
Ultrafryer Systems	B-P30-18-3-***	3	18	100	Gas	20,859	5,993	61%	120
Ultrafryer Systems	B-P30-18-4-***	4	18	100	Gas	20,859	5,993	61%	120
Ultrafryer Systems	B-P30-18-5-***	5	18	100	Gas	20,859	5,993	61%	120

# CEW Qualified Fryers

[Back to Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Ultrafryer Systems	B-P30-18-6-***	6	18	100	Gas	20,859	5,993	61%	120
Ultrafryer Systems	C-P30-14	1	14	30	Gas	9,816	4,120	60%	60
Ultrafryer Systems	F-IR-18-**	1	18	80	Gas	14,306	5,177	59%	88
Ultrafryer Systems	F-IR-20-***	1	20	125	Gas	19,092	6,626	57%	84
Ultrafryer Systems	F-IRC-14-***	1	14	45	Gas	9,158	4,136	56%	72
Ultrafryer Systems	F-IRD-14-**	1	14	50	Gas	11,937	4,201	59%	73
Ultrafryer Systems	F-P20-18	1	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	F-P25-18	1	18	100	Gas	15,372	5,710	59%	89
Ultrafryer Systems	F-P30-14	1	14	50	Gas	7,450	4,180	65%	73
Ultrafryer Systems	F-P30-18	1	18	100	Gas	20,859	5,993	61%	120
Ultrafryer Systems	P20-18	1	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	P20-20	1	20	125	Gas	21,939	7,038	62%	79
Vulcan	1TR45**	1	14	45	Gas	7,548	4,318	61%	69
Vulcan	1TR65**	1	20	65	Gas	12,278	5,083	60%	82
Vulcan	1TR85**	1	20	85	Gas	15,072	5,575	60%	87
Vulcan	1VEG35M	1	14	35	Gas	9,785	7,296	50%	57
Vulcan	1VEG50M	1	14	50	Gas	11,749	7,563	51%	67
Vulcan	1VHG50**	1	14	50	Gas	9,579	7,885	56%	69
Vulcan	1VHG75**	1	18	75	Gas	17,160	11,914	58%	112
Vulcan	1VK45**	1	14	45	Gas	8,192	4,636	65%	78
Vulcan	1VK65**	1	20	65	Gas	11,914	4,838	66%	91
Vulcan	1VK85**	1	20	85	Gas	15,039	6,075	66%	100
Vulcan	2TR45**	2	14	45	Gas	7,548	4,318	61%	69
Vulcan	2TR65**	2	20	65	Gas	12,278	5,083	60%	82
Vulcan	2TR85**	2	20	85	Gas	15,072	5,575	60%	87
Vulcan	2VHG50**	2	14	50	Gas	9,579	7,885	56%	69
Vulcan	2VHG75**	2	18	75	Gas	17,160	11,914	58%	112
Vulcan	2VK45**	2	14	45	Gas	8,192	4,636	65%	78

## CEW Qualified Fryers

[Back to  
Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Vulcan	2VK65**	2	20	65	Gas	11,914	4,838	66%	91
Vulcan	2VK85**	2	20	85	Gas	15,039	6,075	66%	100
Vulcan	3TR45**	3	14	45	Gas	7,548	4,318	61%	69
Vulcan	3TR65**	3	20	65	Gas	12,278	5,083	60%	82
Vulcan	3TR85**	3	20	85	Gas	15,072	5,575	60%	87
Vulcan	3VHG50**	3	14	50	Gas	9,579	7,885	56%	69
Vulcan	3VHG75**	3	18	75	Gas	17,160	11,914	58%	112
Vulcan	3VK45**	3	14	45	Gas	8,192	4,636	65%	78
Vulcan	3VK65**	3	20	65	Gas	11,914	4,838	66%	91
Vulcan	3VK85**	3	20	85	Gas	15,039	6,075	66%	100
Vulcan	4TR45**	4	14	45	Gas	7,548	4,318	61%	69
Vulcan	4TR65**	4	20	65	Gas	12,278	5,083	60%	82
Vulcan	4TR85**	4	20	85	Gas	15,072	5,575	60%	87
Vulcan	4VHG50**	4	14	50	Gas	9,579	7,885	56%	69
Vulcan	4VHG75**	4	18	75	Gas	17,160	11,914	58%	112
Vulcan	4VK45**	4	14	45	Gas	8,192	4,636	65%	78
Vulcan	4VK65**	4	20	65	Gas	11,914	4,838	66%	91
Vulcan	4VK85**	4	20	85	Gas	15,039	6,075	66%	100

## CEW Qualified Steam Cookers

[Back to  
Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Steamer Type	Pan Capacity	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lb/h)	Water Use (gph)
AccuTemp	N6*****	Boilerless	6 pan	Gas	6,975	1,197	41%	117	0.7
American Cook Systems	SG-6	Boilerless	6 pan	Gas	8,226	1,266	45%	141	< 3
Cleveland	22CGT3.1	Boilerless	3 pan	Gas	6,520	2,440	39%	44	2.2
Cleveland	22CGT6.1	Boilerless	6 pan	Gas	7,734	4,272	38%	76	2
Cleveland	24CGA10.2ES	Steam Generator	10 pan	Gas	15,616	3,894	45%	181	15.8
Cleveland	24CGA6.2ES	Steam Generator	6 pan	Gas	14,472	5,764	48%	129	11.8
Intek	XSG-5	Boilerless	5 pan	Gas	7,112	7,027	49%	96	< 3.0
Market Forge	ETP-10G	Steam Generator	10 pan	Gas	16,690	5,766	40%	182	7.5
Market Forge	Sirius II-10	Boilerless	10 pan	Gas	12,850	11,442	48%	127	1.4
Market Forge	Sirius II-12	Boilerless	12 pan	Gas	13,000	11,184	47%	126	1.8
Market Forge	Sirius II-4	Boilerless	4 pan	Gas	6,350	5,850	49%	64	0.5
Market Forge	Sirius II-6	Boilerless	6 pan	Gas	6,500	5,592	47%	63	0.9
Market Forge	Sirius II-8	Boilerless	8 pan	Gas	12,700	11,700	49%	128	1
Unified Brands, Inc/Groen	XSG-5	Boilerless	5 pan	Gas	7,112	7,027	49%	96	< 3.0