



www.haleyaldrich.com

**REPORT ON
2017 ANNUAL GROUNDWATER MONITORING AND
CORRECTIVE ACTION REPORT
A.B. BROWN GENERATING STATION
WEST FRANKLIN, INDIANA**

by Haley & Aldrich, Inc.
Greenville, South Carolina

for Southern Indiana Gas and Electric Company (SIGECO)
Evansville, Indiana

File No. 129420-003
January 2018

Annual Groundwater Monitoring Report Summary

Haley & Aldrich, Inc. (Haley & Aldrich) has prepared this 2017 Annual Groundwater Monitoring Corrective Action Report for the A.B. Brown Generating Station (ABB). This 2017 Annual Report was developed to comply with the United States Environmental Protection Agency (USEPA) Hazardous and Solid Waste Management System; Disposal of Coal Combustion Residuals (CCR) from Electric Utilities, 40 CFR Part 257, Subpart D dated 17 April 2015 (Rule), specifically subsection §257.90(e)(1) through (5). Southern Indiana Gas and Electric Company (SIGECO) operates the existing coal combustion residuals (CCR) management unit referred to as Landfill at ABB located in Posey County, Indiana near the community of West Franklin. This CCR unit is subject to the Rule since it was active as of the effective date of the Rule.

This annual report addresses the CCR management unit, referred to as Landfill, at ABB, as described in the Groundwater Monitoring Program report, which was certified and placed in the facility's operating record on October 17, 2017 as required by §257.105(h)(2) and posted on the facility's website on November 16, 2017 as required by §257.107(h)(2).

To report on the activities conducted during the prior calendar year and document compliance with the Rule, the specific requirements listed in §257.90(e)(1) through (5) are provided below in bold/italic type followed by a short narrative addressing how that specific requirement was met.

§257.90 APPLICABILITY

§257.90(e) Annual groundwater monitoring and corrective action report. For existing CCR landfills and existing CCR surface impoundments, no later than January 31, 2018, and annually thereafter, the owner or operator must prepare an annual groundwater monitoring and corrective action report. For new CCR landfills, new CCR surface impoundments, and all lateral expansions of CCR units, the owner or operator must prepare the initial annual groundwater monitoring and corrective action report no later than January 31 of the year following the calendar year a groundwater monitoring system has been established for such CCR unit as required by this subpart, and annually thereafter. For the preceding calendar year, the annual report must document the status of the groundwater monitoring and corrective action program for the CCR unit, summarize key actions completed, describe any problems encountered, discuss actions to resolve the problems, and project key activities for the upcoming year. For purposes of this section, the owner or operator has prepared the annual report when the report is placed in the facility's operating record as required by §257.105(h)(1).

As required, this annual report documents the status of the groundwater monitoring program for the CCR management unit at ABB and summarizes key actions completed during the prior calendar year.

At a minimum, the annual groundwater monitoring and corrective action report must contain the following information, to the extent available:

§257.90(e)(1) AERIAL IMAGE OF GROUNDWATER MONITORING PROGRAM

§257.90(e)(1) A map, aerial image, or diagram showing the CCR unit and all background (or upgradient) and downgradient monitoring wells, to include the well identification numbers, that are part of the groundwater monitoring program for the CCR unit;

As required by §257.90(e)(1), maps showing the location of the Landfill and associated upgradient and downgradient monitoring wells are included in this report as **Figure 1**. In addition, this information is presented in the Groundwater Monitoring Program report prepared for ABB, which was placed in the facility's operating record on October 17, 2017 as required by §257.105(h)(2).

§257.90(e)(2) ADJUSTMENTS TO GROUNDWATER MONITORING PROGRAM

§257.90(e)(2) Identification of any monitoring wells that were installed or decommissioned during the preceding year, along with a narrative description of why those actions were taken;

To comply with the requirements of §257.91, a groundwater monitoring network of eight (8) wells were installed for the Landfill at ABB. Details of the design, and construction of the monitoring wells are summarized in Table 1. Additional description of the monitoring network is presented in the Groundwater Monitoring Program report, which was placed in the facility's operating record on October 17, 2017, as required by §257.105(h)(2). None of the wells installed to monitor groundwater quality upgradient and downgradient of the Landfill were decommissioned in 2017.

§257.90(e)(3) SUMMARY OF GROUNDWATER ANALYSIS

§257.90(e)(3) In addition to all the monitoring data obtained under §257.90 through §257.98, a summary including the number of groundwater samples that were collected for analysis for each background [upgradient] and downgradient well, the dates the samples were collected, and whether the sample was required by the detection monitoring or assessment monitoring programs;

In accordance with §257.94(b), a minimum of eight independent samples from each upgradient and downgradient monitoring well were collected prior to October 17, 2017. A summary of the groundwater monitoring program for the Landfill, including the analytical results for the Appendix III and Appendix IV list of constituents, is presented in **Table 2** of this report. All the samples obtained were required by the detection monitoring program.

§257.90(e)(4) CURRENT GROUNDWATER MONITORING PROGRAM

§257.90(e)(4) A narrative discussion of any transition between monitoring programs (e.g., the date and circumstances for transitioning from detection monitoring to assessment monitoring in addition to identifying the constituent(s) detected at a statistically significant increase over background levels);

Consistent with §257.90(e), the 2017 annual report documents groundwater related activities conducted during the prior calendar year at the Landfill. The statistical analysis of the initial minimum eight rounds of groundwater sampling was completed by January 15, 2018 as

required. This statistical analysis relied on the use of tolerance intervals as originally certified on October 17, 2017. The results of this statistical analysis identified statistically significant increases (SSI) of Appendix III constituents in one or more wells monitoring the uppermost aquifer downgradient of the Landfill. Consistent with §257.94(e)(2), SIGECO is evaluating options to demonstrate that a source other than the CCR unit caused the SSI and will provide a narrative discussion of any transition between monitoring programs (e.g., the date and circumstances for transitioning from detection monitoring to assessment monitoring in addition to identifying the constituent(s) detected at a statistically significant increase over background levels), as appropriate, in subsequent annual reports.

§257.90(e)(5) OTHER REQUIRED INFORMATION

§257.90(e)(5) Other information required to be included in the annual report as specified in §257.90 through §257.98.

This initial Annual Report documents activities conducted to comply with Sections §257.90 through §257.94 of the Rule. There are no applicable requirements from Sections §257.95 through §257.98.

Attachments

Table 1. Groundwater Monitoring Well Location and Construction Details

Table 2. Summary of Analytical Results

Figure 1. Monitoring Well Network

\\\haleyaldrich.com\share\grn_common\129420 Vectren\AB Brown\Annual Report\Landfill\Text\ABB_LF_Annual_GW_Report_F.docx

TABLES

TABLE I

Page 1 of 1

GROUNDWATER MONITORING WELL LOCATION AND CONSTRUCTION DETAILS

A.B. BROWN GENERATING STATION LANDFILL

MOUNT VERNON, INDIANA

Well	CCR Unit	Date Installed	Easting	Northing	Top of Pad Elevation (ft msl)	Top of Riser Elevation (ft msl)	Surface Grout (ft bgs)	Bentonite (ft bgs)	Sand Pack (ft bgs)	Screen Zone (ft bgs)	Screen Length (ft)	Well Radius (in)
CCR-LF-1	Landfill	March 2016	2771247.76	970812.18	432.80	435.63	0.0 - 3.0	3.0 - 7.0	7.0 - 19.0	9.0 - 19.0	10	2.00
CCR-LF-2	Landfill	March 2016	2772205.05	970681.32	470.10	473.00	0.0 - 30.0	30.0 - 32.0	32.0 - 45.0	35.0 - 45.0	10	2.00
CCR-LF-3	Landfill	March 2016	2773138.97	970949.70	482.00	484.75	0.0 - 21.0	21.0 - 23.0	23.0 - 35.0	25.0 - 35.0	10	2.00
CCR-LF-4	Landfill	March 2016	2772876.83	972312.24	476.60	478.85	0.0 - 40.8	40.8 - 43.0	43.0 - 55.0	45.0 - 55.0	10	2.00
CCR-LF-5	Landfill	March 2016	2772003.91	972228.16	427.50	430.41	0.0 - 16.0	16.0 - 18.0	18.0 - 30.0	20.0 - 30.0	10	2.00
CCR-LF-6	Landfill	March 2016	2771046.15	972269.53	409.20	412.05	0.0 - 0.0	0.0 - 2.66	2.66 - 9.66	4.66 - 9.66	10	2.00
CCR-BK-1R	Background	March 2016	2770919.08	974083.40	480.10	483.39	0.0 - 50.0	50.0 - 52.0	52.0 - 64.0	54.0 - 64.0	10	2.00
CCR-BK-2	Background	March 2016	2769728.14	972854.33	427.50	430.60	0.0 - 11.5	11.5 - 13.5	13.5 - 25.5	15.5 - 25.5	10	2.00

Notes:

bgs = below ground surface

ft = feet

in = inches

msl = mean sea level

Datum of Elevations in NAVD 88

TABLE II
SUMMARY OF ANALYTICAL RESULTS
A.B. BROWN GENERATING STATION
MOUNT VERNON, INDIANA

Location Group	Location Name	Upgradient								
		CCR-BK-1R	CCR-BK-1R	CCR-BK-1R	CCR-BK-1R	CCR-BK-1R	CCR-BK-1R	CCR-BK-1R	CCR-BK-1R	CCR-BK-1R
Sample Name	CCR-BK-1-20160811	CCR-BK-1-20161027	CCR-BK-1R-20161107	CCR-BK-1R-20161206	CCR-BK-1R-20170207	CCR-BK-1R-20170407	CCR-BK-1R-20170606	CCR-BK-1R-20170928	CCR-BK-1R-20171116	
Sample Date	08/11/2016	10/27/2016	11/07/2016	12/06/2016	02/07/2017	04/07/2017	06/06/2017	09/28/2017	11/16/2017	
Lab Sample ID	180-57528-14	180-60271-6	180-60609-5	180-61491-18	180-63324-18	180-65040-1	180-67229-16	180-70809-15	180-72643-21	
Water Level (ft amsl)	463.50		422.65		423.39		422.39		421.39	
Monitoring Program	Baseline		Baseline		Baseline		Baseline		Baseline	
Field Parameters										Detection
Temperature (Deg C)	20.68	15.88	20.42	11.36	14.52	14.94	17.06	24.01	10.95	
Turbidity, Field (NTU)	-	-	-	-	-	-	-	0.76	6	8.82
Dissolved Oxygen, Field (mg/L)	5.15	5.85	5.89	7.03	5.98	5.43	6.28	-	0.40797	
Conductivity, Field (mS/cm)	0.3475	0.38255	0.36566	0.32748	0.3703	0.31348	0.35539	0.35718	0.40797	
ORP, Field (mv)	222	223.99	116.48	52.8	131.91	98.13	266.28	147.09	47.02	
Turbidity, Field (NTU)	17.39	19.19	10.68	97.13	6.47	17.2	24.08	-	131.33	
pH, Field (su)	6.8	6.95	7.02	7.14	6.87	7.22	6.95	6.88	7.13	
Detection Monitoring - EPA Appendix III Constituents (mg/L)										
Boron, Total	0.014 U	0.02 U	0.023 U	0.02 U	0.08 U	0.019 J	0.026 J	0.015 J+	0.041 J	
Calcium, Total	36	41	38	36	34	35	34	35	39	
Chloride (mg/L)	R	2.4	1.5	2.3	2.3	2.7	2.1	2.2	2.6	
Fluoride (mg/L)	R	0.35	0.32	0.35	0.3	0.38	0.3	0.35 J+	0.3	
Sulfate (mg/L)	R	26	21	26	27	28	25	25	26 J-	
pH (lab) (su)	7.4 J	7.5 J	7 J	6.9 J	7.2 J	7.2 J	7.1 J	7.1 J	7.8 J	
Total Dissolved Solids (TDS) (mg/L)	220	210	220	200	230	250	270	210	210	
Assessment Monitoring - EPA Appendix IV Constituents (mg/L)										
Antimony, Total	0.002 U	0.002 U	0.000056 J	0.002 U	0.00045 J					
Arsenic, Total	0.0011	0.00021 J	0.001 U	0.00031 J	0.00094 J	0.00095 J	0.00047 J	0.0025 J+	0.0015 J+	
Barium, Total	0.048	0.035	0.037 J-	0.031 J-	0.038	0.04	0.038	0.032 J-	0.082 J-	
Beryllium, Total	0.00012 J	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	
Cadmium, Total	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	
Chromium, Total	0.0025	0.00046 J	0.00087 J	0.00071 J	0.003	0.0026	0.0019 J	R	0.0027 J+	
Cobalt, Total	0.0028	0.00076	0.00051	0.0005 U	0.0011	0.001	0.00062	R	0.0022	
Lead, Total	0.00082 J	0.00024 J	0.000079 J	0.000096 J	0.00099 J	0.00092 J	0.00052 J	0.001 U	0.0008 J	
Lithium, Total	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.0086 J	
Molybdenum, Total	0.0025 J	0.005 U	0.005 U	0.0015 J	0.0017 J	0.0025 J	0.0015 J	R	0.0034 J	
Selenium, Total	0.00067 J	0.005 U	0.00037 J	0.00051 J	0.005 U					
Thallium, Total	0.000038 J	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	
Mercury, Total	0.0002 U	0.0002 U	0.0002 U	0.0002 U	0.0002 U	0.0002 U	0.0002 U	0.0002 U	0.0002 U	
Fluoride (mg/L)	R	0.35	0.32	0.35	0.3	0.38	0.3	0.35 J+	0.3	
Radiological (pCi/L)										
Radium-226	0.0484 U ± 0.104	0.0760 U ± 0.210	R	0.303 U ± 0.296	0.142 ± 0.0913	0.280 ± 0.0981	0.177 J ± 0.0924	R	0.165 ± 0.0740	
Radium-228	0.0724 UJ ± 0.514	0.191 U ± 0.217	-0.0566 U ± 0.222	0.179 U ± 0.238	-0.0934 U ± 0.194	0.177 U ± 0.257	0.337 ± 0.257	0.173 U ± 0.226	0.388 U ± 0.268	
Radium-226 & 228	0.121 UJ ± 0.525	0.267 U ± 0.302	R	0.482 ± 0.380	0.142 UI ± 0.214	0.457 J ± 0.275	0.515 J ± 0.273	0.426 J ± 0.243	0.553 J ± 0.278	

ABBREVIATIONS AND NOTES:

CCR: Coal Combustion Residuals
 CFR: Code of Federal Regulations
 ft amsl: feet above mean sea level
 MCL: Maximum Contaminant Level
 mg/L: milligram per liter
 mS/cm: millisiemen per centimeter
 mv: millivolt
 NA: Not Applicable
 NTU: Nephelometric Turbidity Units
 pCi/L: picoCurie per liter
 su: standard units
 USEPA: United States Environmental Protection Agency

QUALIFIERS:
 J: value is estimated
 J+: value is estimated with a potentially high bias
 J-: value is estimated with a potentially low bias
 R: value is rejected
 U: Not detected value is the laboratory reporting limit

- USEPA. 2016. Final Rule: Disposal of Coal Combustion Residuals from Electric Utilities. July 26. 40 CFR Part 257.
<https://www.epa.gov/coalash/coal-ash-rule>

TABLE II
SUMMARY OF ANALYTICAL RESULTS
A.B. BROWN GENERATING STATION
MOUNT VERNON, INDIANA

Location Group	Location Name	Upgradient								
		CCR-BK-2	CCR-BK-2	CCR-BK-2	CCR-BK-2	CCR-BK-2	CCR-BK-2	CCR-BK-2	CCR-BK-2	CCR-BK-2
Sample Name	CCR-BK-2-20160608	CCR-BK-2-20160810	CCR-BK-2-20161027	CCR-BK-2-20161206	CCR-BK-2-20170210	CCR-BK-2-20170405	CCR-BK-2-20170606	CCR-BK-2-20170927	CCR-BK-2-20171116	
Sample Date	06/08/2016	08/10/2016	10/27/2016	12/06/2016	02/10/2017	04/05/2017	06/06/2017	09/27/2017	11/16/2017	
Lab Sample ID	180-55607-6	180-57528-15	180-60271-7	180-61491-19	180-63446-1	180-64974-1	180-67229-17	180-70809-16	180-72643-22	
Water Level (ft amsl)	416.46	412.21	408.69	407.90	412.89	413.71	413.94	412.64	406.12	
Monitoring Program	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline	Detection	
Field Parameters										
Temperature (Deg C)	17.51	17.4	15.98	14.25	13.49	15.79	15.68	16.85	14.23	
Turbidity, Field (NTU)	-	-	-	-	-	-	-	167.49		
Dissolved Oxygen, Field (mg/L)	0.42	0.22	0.38	0.33	0.35	1.08	0.14	0.43	0.47	
Conductivity, Field (mS/cm)	0.6551	0.4173	0.40128	0.30961	0.38131	0.29739	0.41407	0.38594	0.38795	
ORP, Field (mv)	28.72	144	234.6	87.3	120.09	200.74	212.67	212.04	108.47	
Turbidity, Field (NTU)	17.85	1.751	858.51	336.44	11.66	-22.18	-1.12	-	181.78	
pH, Field (su)	6.98	6.64	6.7	6.19	6.72	6.66	6.67	6.64	6.74	
Detection Monitoring - EPA Appendix III Constituents (mg/L)										
Boron, Total	0.018 J+	0.014 U	0.02 U	0.02 U	0.08 U	0.016 U	0.021 J	0.018 J+	0.02 J	
Calcium, Total	53	39	46	36	34	45	37	37	35	
Chloride (mg/L)	12	17	17	19	12 J+	19	14	19	19	
Fluoride (mg/L)	R	0.14 J+	0.16	0.2 J+	0.14	0.16	0.13	R	0.13	
Sulfate (mg/L)	61	30 J-	28	26	25 J+	29	27	24	23 J-	
pH (lab) (su)	7.09 J	7.1 J	6.8 J	6.7 J	8.5 J	7.2 J	7 J	6.8 J	7.3 J	
Total Dissolved Solids (TDS) (mg/L)	360	260	350	260	230	240	270	320	250	
Assessment Monitoring - EPA Appendix IV Constituents (mg/L)										
Antimony, Total	0.002 U	0.002 U	0.002 U	0.002 U	0.002 U	0.00048 J				
Arsenic, Total	0.00032 J	0.001 U	0.0013	0.00051 J	0.00031 J	0.001 U	0.001 U	0.0035 J+	0.0028	
Barium, Total	0.041 J-	0.033	0.15	0.036 J-	0.033 J-	0.034 J-	0.035	0.048 J-	0.046 J-	
Beryllium, Total	0.001 U	0.001 U	0.0004 J	0.001 U	0.001 U	0.001 U	0.001 U	0.00018 J	0.001 U	
Cadmium, Total	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U					
Chromium, Total	0.002 U	0.002 U	0.0047	0.00076 J	0.002 UJ	0.002 U	0.002 U	R	0.0043 J+	
Cobalt, Total	0.000096 J	0.0001 J	0.0062	0.0005 U	0.0005 U	0.0005 U	0.0005 U	0.0015 J+	0.0012	
Lead, Total	0.000028 J	0.001 U	0.011	0.00057 J	0.001 U	0.001 U	0.001 U	0.0028 J+	0.0024	
Lithium, Total	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U					
Molybdenum, Total	0.0017 J	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.00062 J	0.00068 J	
Selenium, Total	0.005 U	0.005 U	0.0098 J	0.00047 J	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	
Thallium, Total	0.001 U	0.001 U	0.001 U	0.001 U	0.000059 J					
Mercury, Total	0.0002 UJ	0.0002 U	0.0001 J	0.0002 UJ	0.0002 U	0.0002 U	0.0002 U	0.0002 U	0.0002 U	
Fluoride (mg/L)	R	0.14 J+	0.16	0.2 J+	0.14	0.16	0.13	R	0.13	
Radiological (pCi/L)										
Radium-226	0.102 J ± 0.0557	0.0387 U ± 0.0693	1.14 J ± 0.720	0.346 U ± 0.284	0.0539 UJ ± 0.0753	0.0198 U ± 0.0619	0.00911 UJ ± 0.0490	R	0.149 ± 0.0943	
Radium-228	0.0185 U ± 0.200	0.0797 UJ ± 0.324	0.764 U ± 0.727	R	0.163 U ± 0.253	0.102 U ± 0.198	0.144 ± 0.284	0.279 U ± 0.416	2.98 ± 0.579	
Radium-226 & 228	0.120 U ± 0.207	0.118 UJ ± 0.331	1.91 J ± 1.02	0.796 J ± 0.380	0.217 UJ ± 0.264	0.122 U ± 0.208	0.153 U ± 0.288	0.525 UJ ± 0.436	3.13 ± 0.587	

ABBREVIATIONS AND NOTES:

CCR: Coal Combustion Residuals
 CFR: Code of Federal Regulations
 ft amsl: feet above mean sea level
 MCL: Maximum Contaminant Level
 mg/L: milligram per liter
 mS/cm: millisiemen per centimeter
 mv: millivolt
 NA: Not Applicable
 NTU: Nephelometric Turbidity Units
 pCi/L: picoCurie per liter
 su: standard units
 USEPA: United States Environmental Protection Agency

QUALIFIERS:

J: value is estimated
 J+: value is estimated with a potentially high bias
 J-: value is estimated with a potentially low bias
 R: value is rejected
 U: Not detected value is the laboratory reporting limit

- USEPA. 2016. Final Rule: Disposal of Coal Combustion Residuals from Electric Utilities. July 26. 40 CFR Part 257.
<https://www.epa.gov/coalash/coal-ash-rule>

TABLE II
SUMMARY OF ANALYTICAL RESULTS
A.B. BROWN GENERATING STATION
MOUNT VERNON, INDIANA

Location Group	Downgradient									
	CCR-LF-1	CCR-LF-1								
Location Name	CCR-LF-1-20160608	CCR-LF-1-20160810	CCR-LF-1-20161025	CCR-LF-1-20161205	CCR-LF-1-20170210	CCR-LF-1-20170405	CCR-LF-1-20170607	CCR-LF-1-20170929	CCR-LF-1-20171116	
Sample Name	06/08/2016		08/10/2016		10/25/2016		12/05/2016		02/10/2017	
Lab Sample ID	180-55607-1		180-57528-1		180-60160-1		180-61491-10		180-63446-2	
Water Level (ft amsl)	430.67		426.64		425.00		424.28		425.30	
Monitoring Program	Baseline		Baseline		Baseline		Baseline		Baseline	
Field Parameters										
Temperature (Deg C)	24.21	19.33	19.02	15.63	11.86	14.16	16.87	18.02	16.67	
Turbidity, Field (NTU)	-	-	-	-	-	-	-	-	-	
Dissolved Oxygen, Field (mg/L)	1.45	1.02	1.05	1.58	1.74	1.35	2.84	6.27	5.79	
Conductivity, Field (mS/cm)	2.08187	2.028	1.79792	1.4898	2.02562	2.00881	1.90568	2.03117	2.01289	
ORP, Field (mv)	92.49	96	50	32.2	187.09	102.62	108.63	164.85	146.45	
Turbidity, Field (NTU)	47.16	-2.224	-0.1	6.22	1.39	39.98	30.27	32.85	16.28	
pH, Field (su)	6.54	6.51	6.63	6.66	6.68	6.78	6.65	6.59	6.64	
Detection Monitoring - EPA Appendix III Constituents (mg/L)										
Boron, Total	0.031 J+	0.033 UJ	0.037	0.04 U	0.08 U	0.041 J	0.046 J	0.028 J	0.12 J	
Calcium, Total	230	230	270	270	250	290	270	260	260	
Chloride (mg/L)	15	11	13	16	16 J+	16	11	17	16	
Fluoride (mg/L)	R	0.3 J+	0.27	0.25 J+	0.23	0.22	0.21 J	0.18	0.27	
Sulfate (mg/L)	1100	920 J-	970	1100	1100 J+	1000	990	1100	1100 J-	
pH (lab) (su)	6.87 J	7 J	6.7 J	6.8 J	7.2 J	6.9 J	7 J	7 J	7.5 J	
Total Dissolved Solids (TDS) (mg/L)	1800	1800	1900	1800	1800	1800	1900	1800	1800	
Assessment Monitoring - EPA Appendix IV Constituents (mg/L)										
Antimony, Total	0.002 U	0.00059 J								
Arsenic, Total	0.00054 J	0.001 U	0.001 U	0.00052 J	0.0011	0.0012	0.00084 J	0.00084 J	0.001 U	
Barium, Total	0.041 J-	0.048	0.047	0.05 J-	0.036 J-	0.052 J-	0.04	0.035	0.042 J-	
Beryllium, Total	0.001 U									
Cadmium, Total	0.0001 U									
Chromium, Total	0.00091 J	0.0011 J	0.00097 J	0.0013 J	0.00089 J-	0.0018 J	0.0017 J	0.0016 J	0.002 U	
Cobalt, Total	0.0000057 J	0.000077 J	0.000043 J	0.00005 U	0.0005 U	0.0003 J	0.00032 J	0.00066	0.00026 J	
Lead, Total	0.0000033 J	0.001 U	0.001 U	0.0002 J	0.001 U	0.00068 J	0.00047 J	0.00063 J	0.001 U	
Lithium, Total	0.05 U	0.05 U	0.05 U	0.01 J	0.05 U	0.05 U	0.0096 J	0.05 U	0.05 U	
Molybdenum, Total	0.0016 J	0.0015 J	0.00098 J	0.0005 U	0.0005 U	0.0012 J	0.0011 J	0.0016 J	0.0015 J	
Selenium, Total	0.001 J	0.0013 J	0.0011 J	0.00089 J	0.005 U					
Thallium, Total	0.001 U	0.000055 J								
Mercury, Total	0.0002 UJ	0.0002 U	0.0002 U	0.0002 UJ	0.0002 U					
Fluoride (mg/L)	R	0.3 J+	0.27	0.25 J+	0.23	0.22	0.21 J	0.18	0.27	
Radiological (pCi/L)										
Radium-226	0.330 J ± 0.0989	0.304 J ± 0.0911	0.470 J ± 0.292	1.00 J ± 0.389	0.288 J ± 0.123	0.240 ± 0.102	0.732 J ± 0.159	0.349 ± 0.107	0.450 ± 0.122	
Radium-228	0.355 U ± 0.279	0.392 U ± 0.261	0.255 U ± 0.234	R	0.172 U ± 0.235	0.509 ± 0.272	0.293 ± 0.236	0.397 ± 0.243	0.622 ± 0.285	
Radium-226 & 228	0.685 ± 0.296	0.696 ± 0.277	0.726 J ± 0.374	1.47 J ± 0.457	0.459 J ± 0.265	0.749 ± 0.291	1.02 J ± 0.284	0.747 ± 0.266	1.07 ± 0.310	

ABBREVIATIONS AND NOTES:

CCR: Coal Combustion Residuals
 CFR: Code of Federal Regulations
 ft amsl: feet above mean sea level
 MCL: Maximum Contaminant Level
 mg/L: milligram per liter
 mS/cm: millisiemen per centimeter
 mv: millivolt
 NA: Not Applicable
 NTU: Nephelometric Turbidity Units
 pCi/L: picoCurie per liter
 su: standard units
 USEPA: United States Environmental Protection Agency

QUALIFIERS:
 J: value is estimated
 J+: value is estimated with a potentially high bias
 J-: value is estimated with a potentially low bias
 R: value is rejected
 U: Not detected value is the laboratory reporting limit

- USEPA. 2016. Final Rule: Disposal of Coal Combustion Residuals from Electric Utilities. July 26. 40 CFR Part 257.
<https://www.epa.gov/coalash/coal-ash-rule>

TABLE II
SUMMARY OF ANALYTICAL RESULTS
A.B. BROWN GENERATING STATION
MOUNT VERNON, INDIANA

Location Group	Downgradient									
	CCR-LF-2	CCR-LF-2								
Location Name	CCR-LF-2-20160608	CCR-LF-2-20160810	CCR-LF-2-20161026	CCR-LF-2-20161205	CCR-LF-2-20170210	CCR-LF-2-20170405	CCR-LF-2-20170607	CCR-LF-2-20170927	CCR-LF-2-20171114	
Sample Name										
Sample Date	06/08/2016	08/10/2016	10/26/2016	12/05/2016	02/10/2017	04/05/2017	06/07/2017	09/27/2017		
Lab Sample ID	180-55607-2	180-57528-2	180-60193-7	180-61491-11	180-63446-3	180-64974-10	180-67229-11	180-70809-10		
Water Level (ft amsl)	448.06	447.94	447.02	446.86	446.63	446.90	446.50	445.93		
Monitoring Program	Baseline		Detection							
Field Parameters										
Temperature (Deg C)	17.41	17.54	19.88	12.73	15	16.13	17.12	16.95		15.85
Turbidity, Field (NTU)	-				-					
Dissolved Oxygen, Field (mg/L)	0.14	0.28	0.62	0.47	0.12	0.11	0.13	0.05		0.15
Conductivity, Field (mS/cm)	19.4913	19.51	18.0976	16.545	19.5139	20.3435	19.871	20.6399		21.9844
ORP, Field (mv)	-46.57	9	20	-90.2	14.64	105.47	48.33	-16.58		18.31
Turbidity, Field (NTU)	138.29	23.46	92.84	44.98	33.32	17.4	15.67	556.68		48.42
pH, Field (su)	6.38	6.38	6.53	6.32	6.42	6.58	6.42	6.45		6.41
Detection Monitoring - EPA Appendix III Constituents (mg/L)										
Boron, Total	3.4	3.9	3.8	4.5	4.2	4.3	5.3	4.7 J+		5
Calcium, Total	340	380	410	400	380	430	430	400		380
Chloride (mg/L)	290	320	280	290	330 J+	320	350	350		350
Fluoride (mg/L)	R	2.5 U	2.5 U	1 U	2.5 U	1 U	2.5 U	1 U		1 U
Sulfate (mg/L)	12000	12000 J-	11000 J-	12000	14000 J+	14000	14000	15000		15000 J-
pH (lab) (su)	6.6 J	6.7 J	6.5 J	6.6 J	6.8 J	6.7 J	6.7 J	6.6 J		7.2 J
Total Dissolved Solids (TDS) (mg/L)	19000	19000	18000	19000	19000	22000	22000	21000		21000
Assessment Monitoring - EPA Appendix IV Constituents (mg/L)										
Antimony, Total	0.002 U	0.02 U	0.0021	0.002 U		0.02 U				
Arsenic, Total	0.0028	0.0022	0.0023	0.0015	0.0016	0.01 U	0.0013	0.0062 J+		0.01 U
Barium, Total	0.012 J-	0.014	0.013 J-	0.013 J-	0.012 J	R	0.013	0.011 J-		R
Beryllium, Total	0.001 U	0.001 U	0.00013 J	0.00028 J	0.00013 J	0.01 U	0.001 U	0.00018 J		0.001 U
Cadmium, Total	0.00075 J	0.0027	0.0047	0.0043	0.0027	0.0032 J	0.004	0.0039		0.0043 J
Chromium, Total	0.00073 J	0.0014 J	0.0018 J	0.001 J	0.00067 J-	0.02 U	0.00084 J	R		0.02 U
Cobalt, Total	0.014	0.0076	0.0076	0.0067	0.0057	0.0072	0.0079	0.0073		0.0076
Lead, Total	0.00022 J	0.00096 J	0.0014	0.00045 J	0.00046 J	0.01 U	0.00036 J	0.001 U		0.01 U
Lithium, Total	0.019 J	0.025 J	0.03 J	0.029 J	0.03 J	0.025 J	0.022 J	0.25 U		0.028 J
Molybdenum, Total	0.0048 J	0.0031 J	0.0018 J	0.0026 J	0.0015 J	0.05 U	0.0034 J	R		0.05 U
Selenium, Total	0.0021 J	0.0021 J	0.0018 J+	0.0027 J	0.002 J	0.05 U	0.0026 J	0.0034 J+		0.05 U
Thallium, Total	0.00018 J	0.00034 J	0.00037 J	0.001 U	0.001 U	0.01 U	0.00056 J	0.00065 J		0.01 U
Mercury, Total	0.0002 UJ	0.0002 U	0.0002 UJ	0.0002 UJ	0.0002 U	0.0002 U	0.0002 U	0.0002 U		0.0002 UJ
Fluoride (mg/L)	R	2.5 U	2.5 U	1 U	2.5 U	1 U	2.5 U	1 U		1 U
Radiological (pCi/L)										
Radium-226	0.213 J ± 0.0852	0.350 ± 0.172	0.627 J ± 0.319	0.566 J ± 0.348	0.576 J ± 0.162	0.451 ± 0.143	0.308 J ± 0.108	0.503 J ± 0.136		0.465 ± 0.122
Radium-228	0.940 ± 0.307	1.03 ± 0.609	1.52 ± 0.401	1.44 ± 0.347	1.59 ± 0.355	1.36 ± 0.340	1.46 ± 0.389	1.83 ± 0.407		1.84 ± 0.381
Radium-226 & 228	1.15 ± 0.319	1.38 ± 0.633	2.15 J ± 0.513	2.01 J ± 0.491	2.17 J ± 0.390	1.81 ± 0.369	1.77 ± 0.403	2.33 ± 0.429		2.31 ± 0.400

ABBREVIATIONS AND NOTES:

CCR: Coal Combustion Residuals

CFR: Code of Federal Regulations

ft amsl: feet above mean sea level

MCL: Maximum Contaminant Level

mg/L: milligram per liter

mS/cm: millisiemen per centimeter

mV: millivolt

NA: Not Applicable

NTU: Nephelometric Turbidity Units

pCi/L: picoCurie per liter

su: standard units

USEPA: United States Environmental Protection Agency

QUALIFIERS:

J: value is estimated

J+: value is estimated with a potentially high bias

J-: value is estimated with a potentially low bias

R: value is rejected

U: Not detected value is the laboratory reporting limit

- USEPA. 2016. Final Rule: Disposal of Coal Combustion Residuals

from Electric Utilities. July 26. 40 CFR Part 257.

<https://www.epa.gov/coalash/coal-ash-rule>

TABLE II
SUMMARY OF ANALYTICAL RESULTS
A.B. BROWN GENERATING STATION
MOUNT VERNON, INDIANA

Location Group	Downgradient									
	CCR-LF-3	CCR-LF-3								
Location Name	CCR-LF-3-20160608	CCR-LF-3-20160809	CCR-LF-3-20161026	CCR-LF-3-20161205	CCR-LF-3-20170315	CCR-LF-3-20170405	CCR-LF-3-20170606	CCR-LF-3-20170928	CCR-LF-3-20171114	
Sample Name	06/08/2016		08/09/2016		10/26/2016		12/05/2016		03/15/2017	
Sample Date	180-55607-3		180-57528-3		180-60193-8		180-61491-12		180-64383-1	
Lab Sample ID	458.90		458.74		457.97		457.75		456.23	
Water Level (ft amsl)	Baseline		Baseline		Baseline		Baseline		Baseline	
Monitoring Program										
Field Parameters										
Temperature (Deg C)	17.58	17.07	20.23	13.91	13.5	15.71	17.14	17.3	15.72	
Turbidity, Field (NTU)	-	-	-	-	-	-	-	-	-	
Dissolved Oxygen, Field (mg/L)	4.54	4.33	5.41	4.68	5.15	5.02	5.72	5.34	3.46	
Conductivity, Field (mS/cm)	3.52381	3.414	3.13537	2.9634	3.10374	3.11922	2.99956	2.60234	2.2566	
ORP, Field (mv)	117.52	93	90	35	161.76	134.03	151.21	154.67	166.8	
Turbidity, Field (NTU)	7.32	-0.3407	-1.48	0	0.57	-1.66	-0.63	-0.44	-0.67	
pH, Field (su)	6.63	6.73	6.84	6.71	6.8	7.07	6.85	6.86	6.63	
Detection Monitoring - EPA Appendix III Constituents (mg/L)										
Boron, Total	0.0087 U	0.042 J+	0.02 U	0.02 U	0.014 J	0.015 J	0.04 J	0.023 J+	0.039 J	
Calcium, Total	320	300	370	370	280	350	320	260	200	
Chloride (mg/L)	51	41	44	42	41	48	34	59	70	
Fluoride (mg/L)	R	0.24 J	0.23 J	R	0.1 J	0.25	0.21 J	R	0.18	
Sulfate (mg/L)	1900	1600 J-	2000 J-	2000	1700	1600	1600	1300	1100 J-	
pH (lab) (su)	6.94 J	7.2 J	6.9 J	6.8 J	6.8 J	7 J	7.1 J	7.1 J	7.7 J	
Total Dissolved Solids (TDS) (mg/L)	3200	3200	3400	3200	2600	2800	3000	2300	1900	
Assessment Monitoring - EPA Appendix IV Constituents (mg/L)										
Antimony, Total	0.002 U	0.002 U	0.002 U	0.002 U	0.0011 J	0.002 U	0.00066 J	0.002 U	0.002 U	
Arsenic, Total	0.0047 J	0.001 U	0.00032 J	0.00045 J	0.00062 J	0.00026 J	0.00025 J	0.0088 J+	0.001 U	
Barium, Total	0.027 J-	0.026	0.03 J-	0.03 J-	0.026	0.025 J-	0.027	0.026 J-	0.025 J-	
Beryllium, Total	0.001 U									
Cadmium, Total	0.001 U	0.00011 J	0.0001 J	0.000095 J						
Chromium, Total	0.002	0.0018 J	0.0022	0.0025	0.0019 J	0.0017 J	0.0018 J	R	0.002 U	
Cobalt, Total	0.00071	0.0006 E+	0.0003 J	0.0005 U	0.00048 J	0.00038 J	0.0004 J	R	0.00044 J	
Lead, Total	0.000059 J	0.000074 J	0.001 U							
Lithium, Total	0.05 U									
Molybdenum, Total	0.00089 J	0.00098 J	0.0015 J	0.0012 J	0.0013 J	0.0005 U	0.0017 J	R	0.0026 J	
Selenium, Total	0.0022 J	0.0022 J	0.0024 J+	0.002 J	0.0017 J	0.005 U	0.0019 J	0.002 J+	0.0016 J	
Thallium, Total	0.000015 J	0.001 U	0.00018 J	0.001 U	0.001 U	0.001 U	0.00007 J	0.0001 J	0.00027 J	
Mercury, Total	0.0002 UJ	0.0002 U	0.0002 UJ	0.0002 UJ	0.0002 U					
Fluoride (mg/L)	R	0.24 J	0.23 J	R	0.1 J	0.25	0.21 J	R	0.18	
Radiological (pCi/L)										
Radium-226	0.168 J ± 0.0729	0.107 ± 0.0624	0.217 U ± 0.280	0.398 U ± 0.307	0.120 U ± 0.0869	0.0829 U ± 0.0845	R	R	0.0670 U ± 0.0519	
Radium-228	0.229 U ± 0.261	0.258 U ± 0.248	0.266 U ± 0.319	R	0.616 ± 0.321	0.584 ± 0.299	0.182 ± 0.202	R	0.590 ± 0.255	
Radium-226 & 228	0.398 U ± 0.271	0.366 U ± 0.256	0.483 U ± 0.424	1.10 J ± 0.446	0.736 J ± 0.332	0.666 J ± 0.311	0.330 J+ ± 0.216	0.523 J+ ± 0.226	0.657 J ± 0.260	

ABBREVIATIONS AND NOTES:

CCR: Coal Combustion Residuals

CFR: Code of Federal Regulations

ft amsl: feet above mean sea level

MCL: Maximum Contaminant Level

mg/L: milligram per liter

mS/cm: millisiemen per centimeter

mV: millivolt

NA: Not Applicable

NTU: Nephelometric Turbidity Units

pCi/L: picoCurie per liter

su: standard units

USEPA: United States Environmental Protection Agency

QUALIFIERS:

J: value is estimated

J+: value is estimated with a potentially high bias

J-: value is estimated with a potentially low bias

R: value is rejected

U: Not detected value is the laboratory reporting limit

- USEPA. 2016. Final Rule: Disposal of Coal Combustion Residuals

from Electric Utilities. July 26. 40 CFR Part 257.

<https://www.epa.gov/coalash/coal-ash-rule>

TABLE II
SUMMARY OF ANALYTICAL RESULTS
A.B. BROWN GENERATING STATION
MOUNT VERNON, INDIANA

Location Group	Downgradient									
	CCR-LF-4	CCR-LF-4								
Location Name	CCR-LF-4-20160607	CCR-LF-4-20160809	CCR-LF-4-20161025	CCR-LF-4-20161206	CCR-LF-4-20170207	CCR-LF-4-20170405	CCR-LF-4-20170607	CCR-LF-4-20170927	CCR-LF-4-20171116	
Sample Name	06/07/2016		08/09/2016		10/25/2016		12/06/2016		02/07/2017	
Lab Sample ID	180-55566-4		180-57528-4		180-60160-2		180-61491-13		180-63324-15	
Water Level (ft amsl)	430.68		430.82		430.53		430.43		430.50	
Monitoring Program	Baseline		Baseline		Baseline		Baseline		Baseline	
Field Parameters										
Temperature (Deg C)	19.18	22.92	15.3	12.7	14.59	15.17	15.98	16.94	13.51	
Turbidity, Field (NTU)	-	-	-	-	-	-	-	-	-	
Dissolved Oxygen, Field (mg/L)	1.24	1.19	0.51	0.53	0.37	0.26	1.65	0.54	0.3	
Conductivity, Field (mS/cm)	13.6008	13.77	9.08224	11.125	12.0347	12.4354	10.9543	12.5405	12.8545	
ORP, Field (mv)	-21	-14	10	-15.3	-19.74	-9.68	31.27	-18.97	-39.78	
Turbidity, Field (NTU)	17.71	9.251	10.36	20.29	8.51	25.59	14.89	47.58	13.77	
pH, Field (su)	6.53	6.49	6.73	6.53	6.62	6.7	6.59	6.61	6.64	
Detection Monitoring - EPA Appendix III Constituents (mg/L)										
Boron, Total	0.16	0.13 J+	0.2 U	0.15 J+	0.14	0.021 J	0.2	0.2 J+	0.22 J	
Calcium, Total	420	420	370	410	410	46	440	420	440	
Chloride (mg/L)	110	99	91	110	110	130	88	130	130	
Fluoride (mg/L)	0.35 J	1 U	2.5 U	1 U	0.51 J	1 U	2.5 U	1 U	1 U	
Sulfate (mg/L)	8200	7500 J-	6500	7900	7900	8400	7300	8700	8600 J-	
pH (lab) (su)	6.7 J	6.9 J	6.8 J	6.7 J	6.8 J	7.2 J	6.8 J	6.8 J	7.5 J	
Total Dissolved Solids (TDS) (mg/L)	13000	13000	11000	12000	12000	12000	12000	12000	11000	
Assessment Monitoring - EPA Appendix IV Constituents (mg/L)										
Antimony, Total	0.002 U	0.002 U	0.02 U	0.002 U	0.002 U	0.002 U	0.002 U	0.002 U	0.02 U	
Arsenic, Total	0.016	0.016	0.011	0.018	0.019	0.0021	0.0057	0.03	0.021	
Barium, Total	0.013	0.012	0.0078 J	0.014 J-	0.016	R	0.014	0.011 J-	R	
Beryllium, Total	0.001 U	0.001 U	0.01 U	0.00014 J	0.00018 J	0.001 U	0.00013 J	0.00028 J	0.01 U	
Cadmium, Total	0.001 U	0.001 U	0.01 U	0.001 U	0.001 U	0.001 U	0.00092 J	0.001 U	0.01 U	
Chromium, Total	0.002 U	0.002 U	0.02 U	0.0005 J	0.00076 J	0.002 U	0.00044 J	R	0.02 U	
Cobalt, Total	0.0011	0.00091	0.0012 J	0.00088	0.0018	0.00015 J	0.0018	0.0012 J+	0.0013 J	
Lead, Total	0.0002 J	0.000084 J	0.01 U	0.00018 J	0.00047 J	0.001 U	0.001 U	0.001 U	0.01 U	
Lithium, Total	0.099	0.11	0.078	0.093	0.087	0.092	0.087	0.12	0.1	
Molybdenum, Total	0.021	0.023	0.013 J	0.022	0.02	0.005 U	0.018	0.026	0.024 J	
Selenium, Total	0.00061 J	0.0007 J	0.05 U	0.00055 J	0.005 U	0.005 U	0.005 U	0.005 U	0.05 U	
Thallium, Total	0.000033 J	0.001 U	0.01 U	0.001 U	0.001 U	0.001 U	0.00012 J	0.000089 J	0.01 U	
Mercury, Total	0.0002 U									
Fluoride (mg/L)	0.35 J	1 U	2.5 U	1 U	0.51 J	1 U	2.5 U	1 U	1 U	
Radiological (pCi/L)										
Radium-226	3.99 ± 0.490	3.96 ± 0.460	5.22 J ± 0.894	4.16 J ± 0.851	3.51 ± 0.492	5.78 J ± 0.819	5.08 J ± 0.589	2.87 ± 0.381	3.22 ± 0.409	
Radium-228	0.630 ± 0.351	1.38 ± 0.358	0.995 ± 0.307	R	1.44 ± 0.365	2.36 J ± 0.682	1.49 ± 0.406	1.21 J ± 0.305	1.35 ± 0.346	
Radium-226 & 228	4.62 ± 0.602	5.34 ± 0.583	6.21 J ± 0.945	5.14 J ± 0.913	4.95 ± 0.613	8.14 J ± 1.07	6.58 J ± 0.716	4.08 ± 0.488	4.58 ± 0.536	

ABBREVIATIONS AND NOTES:

CCR: Coal Combustion Residuals

CFR: Code of Federal Regulations

ft amsl: feet above mean sea level

MCL: Maximum Contaminant Level

mg/L: milligram per liter

mS/cm: millisiemen per centimeter

mV: millivolt

NA: Not Applicable

NTU: Nephelometric Turbidity Units

pCi/L: picoCurie per liter

su: standard units

USEPA: United States Environmental Protection Agency

QUALIFIERS:

J: value is estimated

J+: value is estimated with a potentially high bias

J-: value is estimated with a potentially low bias

R: value is rejected

U: Not detected value is the laboratory reporting limit

- USEPA. 2016. Final Rule: Disposal of Coal Combustion Residues from Electric Utilities. July 26. 40 CFR Part 257.

<https://www.epa.gov/coalash/coal-ash-rule>

TABLE II
SUMMARY OF ANALYTICAL RESULTS
A.B. BROWN GENERATING STATION
MOUNT VERNON, INDIANA

Location Group	Downgradient									
	CCR-LF-5 CCR-LF-5-20160608 06/08/2016 180-55607-4 409.52 Baseline	CCR-LF-5 CCR-LF-5-20160809 08/09/2016 180-57528-5 409.16 Baseline	CCR-LF-5 CCR-LF-5-20161026 10/26/2016 180-60193-10 408.40 Baseline	CCR-LF-5 CCR-LF-5-20161205 12/05/2016 180-61491-14 408.41 Baseline	CCR-LF-5 CCR-LF-5-20170207 02/07/2017 180-63324-16 408.71 Baseline	CCR-LF-5 CCR-LF-5-20170404 04/04/2017 180-64974-13 408.47 Baseline	CCR-LF-5 CCR-LF-5-20170606 06/06/2017 180-67229-14 408.81 Baseline	CCR-LF-5 CCR-LF-5-20170927 09/27/2017 180-70809-13 408.27 Baseline	CCR-LF-5 CCR-LF-5-20171114 11/14/2017 180-72643-5 408.29 Detection	
Field Parameters										
Temperature (Deg C)	17.1	20.92	15.39	13.81	14.76	16.45	17.41	18.75	15.23	
Turbidity, Field (NTU)					-		-			
Dissolved Oxygen, Field (mg/L)	0.53	0.41	0.51	0.21	0.09	0.18	0.14	0.21	0.09	
Conductivity, Field (mS/cm)	4.88274	4.322	3.36377	4.0028	4.99069	4.54569	4.65393	4.80614	4.81019	
ORP, Field (mv)	58.7	154	50	24.6	187.04	195.99	106.41	124.58	94.61	
Turbidity, Field (NTU)	51.2	73.4	25.93	19.16	10.48	8.41	17.73	14.61	4.59	
pH, Field (su)	6.9	6.75	6.92	6.79	6.81	6.68	6.84	6.77	6.77	
Detection Monitoring - EPA Appendix III Constituents (mg/L)										
Boron, Total	1.1	0.61	0.68	0.91	1.1	1.2	1.2	1.1 J+	0.86	
Calcium, Total	340	330	400	430	480	450	440	430	270	
Chloride (mg/L)	380	240	250	260	330	270	320	260	270	
Fluoride (mg/L)	R	0.091 J	0.19 J	R	0.22 J	0.17 J	0.23 J	0.23 J+	0.12 J	
Sulfate (mg/L)	2500	2000 J-	2100 J-	2500	2400	2300	2300	2500	2700 J-	
pH (lab) (su)	7 J	7.2 J	6.9 J	6.9 J	7.1 J	7.3 J	7.1 J	7 J	7.5 J	
Total Dissolved Solids (TDS) (mg/L)	4300	4000	4000	4500	4300	4500	4500	4500	4300	
Assessment Monitoring - EPA Appendix IV Constituents (mg/L)										
Antimony, Total	0.002 U	0.002 U	0.002 U	0.002 U	0.00055 J	0.002 U	0.002 U	0.002 U	0.002 U	
Arsenic, Total	0.00061 J	0.001 U	0.00063 J	0.00038 J	0.0028	0.00033 J	0.00032 J	0.015	0.001 U	
Barium, Total	0.025 J-	0.026	0.03 J-	0.028 J-	0.031	0.026 J-	0.026	0.025 J-	0.026 J-	
Beryllium, Total	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	
Cadmium, Total	0.00015 J	0.00018 J	0.0001 U	0.00015 J	0.00024 J	0.00016 J	0.00018 J	0.00025 J	0.00017 J	
Chromium, Total	0.00092 J	0.00093 J	0.0011 J	0.00073 J	0.022	0.00061 J	0.0006 J	R	0.002 U	
Cobalt, Total	0.00031 J	0.0005 U	0.00034 J	0.0005 U	0.0033	0.00019 J	0.00018 J	0.00076 J+	0.00025 J	
Lead, Total	0.00023 J	0.00031 J	0.0003 J	0.00013 J	0.0012	0.001 U	0.001 U	0.001 U	0.001 U	
Lithium, Total	0.024 J	0.02 J	0.024 J	0.026 J	0.027 J	0.022 J	0.023 J	0.031 J	0.025 J	
Molybdenum, Total	0.00058 J	0.005 U	0.005 U	0.005 U	0.0023 J	0.005 U	0.00087 J	0.005 U	0.005 U	
Selenium, Total	0.005 U	0.00054 J	0.005 U							
Thallium, Total	0.000025 J	0.001 U	0.000067 J	0.0001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	
Mercury, Total	0.000053 J-	0.0002 U	0.0002 UJ	0.000077 J-	0.00012 J	0.0002 U	0.00008 J	0.00012 J	0.00015 J-	
Fluoride (mg/L)	R	0.091 J	0.19 J	R	0.22 J	0.17 J	0.23 J	0.23 J+	0.12 J	
Radiological (pCi/L)										
Radium-226	0.106 J ± 0.0640	0.252 ± 0.126	0.115 U ± 0.247	0.334 U ± 0.281	0.161 ± 0.0973	0.0594 U ± 0.0672	0.0697 UJ ± 0.0573	R	0.135 ± 0.0670	
Radium-228	-0.129 U ± 0.202	0.242 U ± 0.422	0.227 U ± 0.256	0.307 U ± 0.221	0.0356 U ± 0.183	0.362 U ± 0.252	0.115 ± 0.224	0.0879 U ± 0.224	0.222 U ± 0.219	
Radium-226 & 228	-0.0225 U ± 0.211	0.494 U ± 0.440	0.342 U ± 0.356	0.197 UI ± 0.207	0.197 UI ± 0.207	0.421 ± 0.261	0.185 UI ± 0.231	0.246 UI ± 0.237	0.357 J ± 0.229	

ABBREVIATIONS AND NOTES:

CCR: Coal Combustion Residuals
 CFR: Code of Federal Regulations
 ft amsl: feet above mean sea level
 MCL: Maximum Contaminant Level
 mg/L: milligram per liter
 mS/cm: millisiemen per centimeter
 mv: millivolt
 NA: Not Applicable
 NTU: Nephelometric Turbidity Units
 pCi/L: picoCurie per liter
 su: standard units
 USEPA: United States Environmental Protection Agency

QUALIFIERS:
 J: value is estimated
 J+: value is estimated with a potentially high bias
 J-: value is estimated with a potentially low bias
 R: value is rejected
 U: Not detected value is the laboratory reporting limit

- USEPA. 2016. Final Rule: Disposal of Coal Combustion Residuals from Electric Utilities. July 26. 40 CFR Part 257.
<https://www.epa.gov/coalash/coal-ash-rule>

TABLE II
SUMMARY OF ANALYTICAL RESULTS
A.B. BROWN GENERATING STATION
MOUNT VERNON, INDIANA

Location Group	Downgradient									
	CCR-LF-6 CCR-LF-6-20160608 06/08/2016 180-55607-5 404.21 Baseline	CCR-LF-6 CCR-LF-6-20160809 08/09/2016 180-57528-6 404.48 Baseline	CCR-LF-6 CCR-LF-6-20161026 10/26/2016 180-60193-9 404.03 Baseline	CCR-LF-6 CCR-LF-6-20161205 12/05/2016 180-61491-15 403.89 Baseline	CCR-LF-6 CCR-LF-6-20170315 03/15/2017 180-64383-2 404.48 Baseline	CCR-LF-6 CCR-LF-6-20170404 04/04/2017 180-64974-14 404.53 Baseline	CCR-LF-6 CCR-LF-6-20170606 06/06/2017 180-67229-15 404.23 Baseline	CCR-LF-6 CCR-LF-6-20170927 09/27/2017 180-70809-14 404.18 Baseline	CCR-LF-6 CCR-LF-6-20171114 11/14/2017 180-72643-6 404.18 Detection	
Field Parameters										
Temperature (Deg C)	18.19	23.5	18.51	12.72	10.17	14.6	17.09	20.28	15.71	
Turbidity, Field (NTU)	-	-	-	-	-	-	-	-	-	
Dissolved Oxygen, Field (mg/L)	0.48	0.2	0.39	0.96	0.94	0.7	0.34	0.26	0.4	
Conductivity, Field (mS/cm)	2.27865	2.18	1.40432	1.3022	2.44599	2.17252	2.04141	1.83595	1.69982	
ORP, Field (mv)	38	34	40	26.5	166.45	181.6	79.49	130.2	102.65	
Turbidity, Field (NTU)	29.28	45.06	1.73	0.71	0.12	-1.46	3.17	42.73	4.34	
pH, Field (su)	6.93	6.75	7.01	7.07	7.05	6.94	6.94	6.87	6.94	
Detection Monitoring - EPA Appendix III Constituents (mg/L)										
Boron, Total	1	0.94	0.67	0.64	0.78	1	0.99	1 J+	0.59	
Calcium, Total	250	250	200	210	300	310	290	250	210	
Chloride (mg/L)	67	59	43	48	100	85	68	42	50	
Fluoride (mg/L)	R	0.26	0.43	0.32	0.12	0.32	0.37	0.39 J+	0.42	
Sulfate (mg/L)	1100	820 J-	680 J-	770	1100	960	910	870	720 J-	
pH (lab) (su)	7.09 J	7.2 J	7 J	7.1 J	7 J	7.4 J	7.1 J	7.2 J	7.6 J	
Total Dissolved Solids (TDS) (mg/L)	1900	1900	1300	1300	2000	1900	1900	1600	1400	
Assessment Monitoring - EPA Appendix IV Constituents (mg/L)										
Antimony, Total	0.002 U	0.002 U	0.002 U	0.002 U	0.0011 J	0.002 U	0.002 U	0.002 U	0.002 U	
Arsenic, Total	0.0039 J	0.001 U	0.00029 J	0.00029 J	0.00043 J	0.0003 J	0.001 U	0.0097 J+	0.001 U	
Barium, Total	0.015 J-	0.016	0.017 J-	0.021 J-	0.018	0.017 J-	0.018	0.017 J-	0.018 J-	
Beryllium, Total	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	
Cadmium, Total	0.00012 J	0.001 U	0.001 U	0.00017 J	0.00011 J	0.00015 J	0.000089 J	0.00014 J	0.00015 J	
Chromium, Total	0.002 U	0.002 U	0.00035 J	0.00066 J	0.002 U	0.002 U	0.002 U	R	0.002 U	
Cobalt, Total	0.00011 J	0.0005 U	0.000099 J	0.00005 U	0.00016 J	0.00047 J	0.00017 J	R	0.00022 J	
Lead, Total	0.000045 J	0.001 U	0.00015 J	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	
Lithium, Total	0.023 J	0.023 J	0.017 J	0.019 J	0.019 J	0.017 J	0.022 J	0.019 J	0.017 J	
Molybdenum, Total	0.00066 J	0.005 U	0.005 U	0.0016 J	0.00087 J	0.005 U	0.0012 J	R	0.0012 J	
Selenium, Total	0.005 U	0.005 U	0.005 U	0.00074 J	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	
Thallium, Total	0.001 U	0.001 U	0.000073 J	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	
Mercury, Total	0.0002 UJ	0.0002 U	0.0002 UJ	0.0002 UJ	0.0002 U	0.0002 U	0.0002 U	0.0002 U	0.0002 U	
Fluoride (mg/L)	R	0.26	0.43	0.32	0.12	0.32	0.37	0.39 J+	0.42	
Radiological (pCi/L)										
Radium-226	0.108 J ± 0.0623	0.110 ± 0.0729	0.248 U ± 0.309	0.214 U ± 0.284	0.0587 U ± 0.0685	0.101 U ± 0.0802	R	R	0.131 ± 0.0691	
Radium-228	0.194 U ± 0.219	0.200 U ± 0.277	0.232 U ± 0.279	0.405 U ± 0.283	0.0519 U ± 0.255	0.155 U ± 0.246	0.286 UJ ± 0.287	-0.0356 U ± 0.202	0.296 U ± 0.221	
Radium-226 & 228	0.302 U ± 0.227	0.310 U ± 0.286	0.480 U ± 0.416	0.619 ± 0.401	0.111 U ± 0.264	0.255 U ± 0.259	0.141 UJ ± 0.215	0.426 J ± 0.232		

ABBREVIATIONS AND NOTES:

CCR: Coal Combustion Residuals

CFR: Code of Federal Regulations

ft amsl: feet above mean sea level

MCL: Maximum Contaminant Level

mg/L: milligram per liter

mS/cm: millisiemen per centimeter

mV: millivolt

NA: Not Applicable

NTU: Nephelometric Turbidity Units

pCi/L: picoCurie per liter

su: standard units

USEPA: United States Environmental Protection Agency

QUALIFIERS:

J: value is estimated

J+: value is estimated with a potentially high bias

J-: value is estimated with a potentially low bias

R: value is rejected

U: Not detected value is the laboratory reporting limit

- USEPA. 2016. Final Rule: Disposal of Coal Combustion Residues

from Electric Utilities. July 26. 40 CFR Part 257.

<https://www.epa.gov/coalash/coal-ash-rule>

FIGURES

